

Check List of Superfamily Caraboidea from Korea (Coleoptera)

Yong Jung KWON* and Seung-Mo LEE**

*Department of Agricultural Biology, College of Agriculture,
Kyungpook National University, Taegu 635, Korea.

**The Division of Entomology, National Science Museum, Seoul 110, Korea.

ABSTRACT

A sum of 352 species belonging to 93 genera under 7 families of Korean Caraboidea are revised, among them 27 species are newly recorded for Korean fauna. Synonymies and distribution data are given.

INTRODUCTION

The Korean Caraboidea are revised and arranged provisionally prior to the substantial monographic works on this group which will be followed after a few years later till the availability of sufficient financial support, and all the possible modern classification systems from various sources were adopted for the purpose.

Previous to this primary integrating survey, numerous records on Korean constituents have been scattered by many authors throughout the world after Tatum (1847), and a sum of 325 species have been known correctly from this country. In the present paper the authors add 27 species hitherto unrecorded from Korea, and thus totally 352 species belonging to 93 genera under 7 families are known to Korean fauna as the result.

In the course of this study, the first author wishes to express his heartfelt thanks to Dr. A. Habu, formerly Head of Laboratory of Insect Identification and Taxonomy, National Institute of Agricultural Sciences, Japan, for his constant kindness in various ways since 1977 when this survey had been initiated principally. He is also indebted to Prof. Dr. T. Nakane, Department of Biology, Kagoshima University, Japan, to Dr. P. Gilbert, Department of Entomology Library, British Museum (Nat. Hist.), U.K., and to Dr. G.G. Perrault, Chatenay-Malabry, France, in obtaining literature.

SYSTEMATICS

Superfamily CARABOIDEA Erichson, 1837

Family I. OMOPHRONIDAE Lacordaire, 1854

Genus 1. *Omophron* Latreille, 1802

Subgenus *Omophron*

1. *Omophron* (s. str.) *aequalis jacobsoni* Semenov, 1922

Russ. Ent. Obozr. 18:46.

Distribution: Korea (North, Central, South), U.S.S.R. (E. Siberia, Maritime Territory).

* The race of Chejudo is uncertain in the subspecific status whether it bears the continental characteristics or any others due to the lack of male material.

Family II. CICINDELIDAE Latreille, 1804

Subfamily CICINDELINAE Latreille, 1804

Tribe Cicindelini Latreille, 1804

Genus 2. *Cicindela* Linnaeus, 1758

Subgenus *Cicindela*

2. *Cicindela* (s. str.) *coerulea shantungensis* Mandl, 1970

Oest. Ent. 22:73-74.

Distribution: Korea (North, Central), China (East, Manchuria).

3. *Cicindela* (s. str.) *gemmata gemmata* Faldermann, 1835

Mém. Acad. St. Pét. 2:350, pl.3(1).

Distribution: Korea (North, Central, South, Chejudo), China (Manchuria), U.S.S.R. (Maritime Territory, Sachalin, Siberia).

4. *Cicindela* (s. str.) *japana* Motschulsky, 1857

Et. Ent. 6:18, pl.1(2).

Distribution: Korea (Central, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu).

5. *Cicindela* (s. str.) *lewisii* Bates, 1873

Trans. Ent. Soc. Lond.: 226-227.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu), China (Manchuria).

6. *Cicindela* (s. str.) *sachalinensis raddei* Morawitz, 1862

Bull. Acad. Sci. St. Pét. 5:188.

Distribution: Korea (North, Central, South), China (Manchuria), U.S.S.R. (Maritime Territory).

7-1. *Cicindela* (s. str.) *transbaicalica hamifasciata* Kolbe, 1886

Arch. f. Nat. 52(1):170.

Distribution: Korea (North, Central, South), China (Chefoo, Chekiang, Manchuria), U.S.S.R. (Maritime Territory, Sachalin).

7-2. *Cicindela* (s. str.) *transbaicalica japonensis* Chaudoir, 1863

Bull. Soc. Imp. Nat. 36:202.

Distribution: Korea (Central, South, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu).

Subgenus *Sophiodela*

8. *Cicindela* (*Sophiodela*) *chinensis flammifera* Horn, 1915

Gen. Ins. 82C:301.

Distribution: Korea (North, Central, South, Chejudo, Ullungdo).

Subgenus *Eugrapha*

9. *Cicindela* (*Eugrapha*) *elisae koreanica* Mandl, 1981

Kol. Rundsch. 55:35.

Distribution: Korea (North, Central, South, Chejudo, Ullungdo).

Subgenus *Cylindera*

10. *Cicindela* (*Cylindera*) *gracilis* Pallas, 1777

Reis. Russ. Reichs. 2:28.

Cicindela gracilis f. *angustata* Fischer, 1824, Ent. Ross. 2:5, pl. 39(12).

Cicindela gracilis ab. *tokioensis* Kano, 1924, Ins. World 28:157.

Distribution: Korea (North, Central, South, Chejudo), Japan (Honshu, Kyushu), China (Manchuria), Mongolia, U.S.S.R. (Maritime Territory, Siberia).

Subgenus *Myriochile*

11. *Cicindela* (*Myriochile*) *specularis* Chaudoir, 1865

Cat. Coll. Cic.:24.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Mainland, Taiwan), Indochina.

Subgenus *Callytron*

12. *Cicindela* (*Callytron*) *brevipilosa* Horn, 1908

Deutsch. Ent. Zeitschr. 52:33.

Cicindela kaiyaensis Kano et Cho, 1933, Journ. Chos. Nat. Hist. Soc. 16:11, pl. 1.

Distribution: Korea (Central), China (Chekiang, Fukien, Shantung, Tschili).

13. *Cicindela* (*Callytron*) *nivicincta inspecularis* Horn, 1904

Deutsch. Ent. Zeitschr. 48:87.

Distribution: Korea (South), China (South Manchuria).

Subgenus *Abroscelis*

14. *Cicindela (Abroscelis) anchoralis punctatissima* Schaum, 1863

Journ. Ent. 2:58.

Distribution: Korea (South), Japan (Honshu, Kyushu), China (South).

Subgenus *Chaetodera*

15. *Cicindela (Chaetodera) laetescripta laetescripta* Motschulsky, 1860

Schrenck's Reis. & Forsch. Am. Land. 2:88, pl. 6(1).

Distribution: Korea (North, Central, South, Chejudo), China (Manchuria), Mongolia, U.S.S.R. (Maritime Territory).

Family III. TRACHYPACHYDIDAE Leconte, 1861

Genus 3. *Trachypachys* Motschulsky, 1844

16. *Trachypachys zetterstedti* Gyllenhal, 1827

Ins. Suec. 1(4):417.

Distribution: Korea (North), U.S.S.R. (Maritime Territory, North Russia, Siberia), Finland, Norway.

Family IV. CARABIDAE

Subfamily NOTIOPHILINAE Thomson, 1859

Genus 4. *Notiophilus* Duméril, 1806

17. *Notiophilus impressifrons* Morawitz, 1863

Bull. Acad. Sci. St. Pét. 4:190, 238.

Notiophilus acuticollis Putzeys, 1866, Mém. Soc. Sci. Liég. 1:157.

Distribution: Korea (North, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Mainland, Manchuria), U.S.S.R. (E. Siberia, Sachalin).

Subfamily ELAPHRINAE Latreille, 1802

Genus 5. *Elaphrus* Fabricius, 1775

Subgenus *Neoelaphrus*

18. *Elaphrus (Neoelaphrus) sibiricus* Motschulsky, 1845

Mém. Acad. Sci. St. Pét. 5:71, pl. 3(1).

Elaphrus dauricus Morawitz, 1863, Bull. Acad. Sci. St. Pét. 4:191.

Distribution: Korea (North, Central), Japan (Hokkaido), China (Manchuria), Mongolia.

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

U.S.S.R. (E. Siberia, Kamtschatka, Sachalin).

Subgenus *Elaphrotatus*

19. *Elaphrus (Elaphrotatus) punctatus* Motschulsky, 1845

Mém. Acad. Sci. St. Pé. 5:73, pl. 3(3).

Distribution: Korea (new record: Central), Japan (Hokkaido, Honshu), China (Manchuria), U.S.S.R. (E. Siberia).

Subfamily LORICERINAE Schaum, 1857

Genus 6. *Loricera* Latreille, 1802

20. *Loricera pilicornis* (Fabricius, 1775)

Syst. Ent. :293.

Distribution: Korea (North), Japan (Hokkaido, Honshu), China (Manchuria), U.S.S.R. (Maritime Territory, Siberia), Europe, N. America.

Subfamily CARABINAE Erichson, 1837

Tribe Carabini Erichson, 1837

Subtribe Calosomina Lapouge, 1927

Genus 7. *Calosoma* Weber, 1801

21. *Calosoma maximowiczii* (Morawitz, 1863)

Mém. Acad. Sci. St. Pé. (7), 6(3):20, pl. 1(7).

Calosoma mikado Bates, 1873, Trans. Ent. Soc. Lond.:235.

Calosoma Taqueti Lapouge, 1924, Misc. Ent. 28:41.

Distribution: Korea (North, Central, South, Chejudo, Ullungdo), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Manchuria, Shantung, Szechwan, Yunnan, Taiwan), U.S.S.R. (Maritime Territory).

22. *Calosoma inquisitor cyanescens* Motschulsky, 1859

Bull. Soc. Imp. Nat. Mosc. 32(4):489.

Calosoma denserugatum Géhin, 1885, Cat. Car.:58.

Distribution: Korea (North, Central, South, Chejudo, Ullungdo), Japan (Hokkaido, Honshu), China (Manchuria), U.S.S.R. (Maritime Territory).

Genus 8. *Charmosta* Motschulsky, 1865

23. *Charmosta lugens* (Chaudoir, 1869)

Ann. Soc. Ent. Franc. 9:372.

Calosoma irregularis Reitter, 1902, Wien. Ent. Zeitg. 21:185.

Distribution: Korea (North, Central), Japan (Honshu), China (Manchuria, Hopeh, Shansi, Shantung), Mongolia, U.S.S.R. (Maritime Territory).

Genus 9. *Campalita* Motschulsky, 1865

24. *Campalita chinense* (Kirby, 1818)

Trans. Linn. Soc. Lond. 12:379.

Calosoma aeneum Motschulsky, 1859, Bull. Soc. Imp. Nat. Mosc. 28(4):489.

Calosoma ogumae Matsumura, 1911, Journ. Coll. Agr. Toh. Univ. 4:109.

Distribution: Korea (North, Central, South, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Ryukyus), China (whole, Tibet, Manchuria), U.S.S.R. (Maritime Territory, Sachalin).

Subtribe Carabina Erichson, 1837

Group Spinulati Ishikawa, 1978

Genus 10. *Apotomopterus* Hope, 1838

Subgenus *Limnocarabus*

25-1. *Apotomopterus* (*Limnocarabus*) *clathratus* (Linnaeus, 1761)

Syst. Nat. 12ed. 2:669.

25-2. *Apotomopterus* (*Limnocarabus*) *clathratus maacki* (Morawitz, 1862)

Bull. Acad. Sci. St. Pét. 4:191.

Distribution: Korea (North), China (Manchuria), U.S.S.R. (Maritime Territory).

Group Carabogenici Lapouge, 1931

* Ishikawa et Kim's paper (although printed as "Dec. 1983", as the issued date on cover) dealt with some Korean carabids could never been traceable for the authors, regret deeply to say, in Central Library, or Office of Biology Department, Kyungpook Nat. University where the paper published, including other libraries in Korea until March, 1985.

Genus 11. *Carabus* Linnaeus, 1758

Subgenus *Carabus*

26. *Carabus* (s. str.) *granulatus ussuriensis* Born, 1914

Soc. Ent. 29:79.

Distribution: Korea (North, Central), China (Manchuria), U.S.S.R. (Maritime Territory).

Subgenus *Allocarabus*

27. *Carabus* (*Allocarabus*) *aurocinctus* Motschulsky, 1846

Mém. sav. étr. St. Pét. 5:113, pl. 4(11).

Carabus Klugi Mannerheim, 1849, Bull. Soc. Imp. Nat. Mosc. 22:228.

Distribution: Korea (North), China (Manchuria), U.S.S.R. (E. Siberia, Maritime Territory).

Subgenus *Eutelocarabus*

28. *Carabus* (*Eutelocarabus*) *conciliator faldermanni* Dejean et Boisduval, 1829

Icon. Col. d'Eur. 1:332, pl. 44(3).

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Carabus viridilimbatus Motschulsky, 1859, Bull. Soc. Imp. Nat. Mosc. 38:489.
Distribution: Korea (North, Central), China (Manchuria), U.S.S.R. (Maritime Territory).

Subgenus *Isiocarabus*

29-1. *Carabus (Isiocarabus) fiduciarius kirinicus* Csiki, 1927

Col. Cat. 91:264.

Distribution: Korea (North, Central).

29-2. *Carabus (Isiocarabus) fiduciarius saishutoicus* Csiki, 1927

Col. Cat. 91:265.

Carabus fiduciarius insularis Lapouge, 1911, Misc. Ent. 19(1): 4-5. nom. praeco
Distribution: Korea (Chejudo).

Subgenus *Parhomopterus*

30-1. *Carabus (Parhomopterus) sternbergi angustus* Roeschke, 1898

Ent. Nachr. 8:122.

Distribution: Korea (Northeast).

30-2. *Carabus (Parhomopterus) sternbergi huchangensis* Kwon et Lee, 1984

Ins. Koreana 4:47.

Distribution: Korea (North).

30-3. *Carabus (Parhomopterus) sternbergi touzalini* Lapouge, 1911

Misc. Ent. 19(1):5-7.

Distribution: Korea (Chejudo).

30-4. *Carabus (Parhomopterus) sternbergi honamensis* Kwon et Lee, 1984

Ins. Koreana 4:48-49.

Distribution: Korea (South, Chejudo).

30-5. *Carabus (Parhomopterus) sternbergi sternbergi* Roeschke, 1898

Ent. Nachr. 8:121-122.

Carabus (Isiocarabus) fiduciarius longigor Breuning, 1975, Nouv. Rev. Ent.
5(2):129.

Distribution: Korea (Central, South).

30-6. *Carabus (Parhomopterus) sternbergi kojedoensis* Kwon et Lee, 1984

Ins. Koreana 4:50-51.

Distribution: Korea (Kojedo).

30-7. *Carabus (Parhomopterus) sternbergi palgongsanensis* Kwon et Lee, 1984

Ins. Koreana 4:51.

Distribution: Korea (South).

- 30-8. *Carabus (Parhomopterus) sternbergi tongdosanus* Kwon et Lee, 1984
 Ins. Koreana 4:51-52.
 Distribution: Korea (South).
- 30-9. *Carabus (Parhomopterus) sternbergi chirisanensis* Kwon et Lee, 1984
 Ins. Koreana 4:52.
Carabus (Eucarabus) nitididorsus Ishikawa et Kim, 1984, Nat. & Lif. 13(2): 69-71.
 (1983). syn. nov.
 Distribution: Korea (South).
- 30-10. *Carabus (Parhomopterus) sternbergi sobaeksanensis* Kwon et Lee, 1984
 Ins. Koreana 4:53.
 Distribution: Korea (South).
- 30-11. *Carabus (Parhomopterus) sternbergi cartereti* Deuve, 1982
 Nouv. Rev. Ent. 12(2): 125-126.
 Distribution: Korea (Central).
31. *Carabus (Parhomopterus) namhaedoensis* Kwon et Lee, 1984
 Ins. Koreana 4:53-54.
 Distribution: Korea (Namhaedo).

Subgenus *Orientocarabus*

32. *Carabus (Orientocarabus) billbergi pumilus* Kraatz, 1886
 Deutsch. Ent. Zeitschr. 30:263-264.
 Distribution: Korea (North), China (Manchuria), U.S.S.R. (Maritime Territory, S. Siberia).

Genus 12. *Lipaster* Motschulsky, 1865

Subgenus *Morphocarabus*

33. *Lipaster (Morphocarabus) hummeli tristiculus* (Kraatz, 1878)
 Deutsch. Ent. Zeitschr. 22:249.
 Distribution: Korea (North), China (Manchuria), U.S.S.R. (E. Siberia, Maritime Territory).

Subgenus *Leptinocarabus*

- 34-1. *Lipaster (Leptinocarabus) wulffiusi wulffiusi* (Morawitz, 1862)
 Bull. Acad. Sci. Pét. 5:192.
 Distribution: Korea (North, Central), U.S.S.R. (Maritime Territory).
- 34-2. *Lipaster (Leptinocarabus) wulffiusi ssangnamensis* Kwon et Lee, 1984
 Ins. Koreana 4:64.
 Distribution: Korea (North).
- 34-3. *Lipaster (Leptinocarabus) wulffiusi alpinus* Kwon et Lee, 1984

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Ins. Koreana 4:64.

Lipaster (Morphocarabus) venustus taebegsanus Ishikawa, 1984, Nat. & Lif.
13(2):71-72. (1983). syn. nov.

Distribution: Korea (Central).

34-4. *Lipaster (Leptinocarabus) wulffiusi opacipennis* (Reitter, 1895)
Wien. Ent. Zeit. 14(4):108.

Lipaster (Morphocarabus) venustus odaesanus Ishikawa, 1984, Nat. & Lif.
13(2):72-73. (1983). syn. nov.

Distribution: Korea (North, Central).

Subgenus *Lyperocarabus*

35-1. *Lipaster (Lyperocarabus) latreillei inchanicus* (Lapouge, 1916)
Misc. Ent. 24:90.

Distribution: Korea (North), China (Manchuria), Mongolia, U.S.S.R. (Maritime Territory).

35-2. *Lipaster (Lyperocarabus) latreillei mandschurensis* (Breuning, 1926)
Kol. Rundsch, 12:72.

Distribution: Korea (North), China (Manchuria), U.S.S.R. (Maritime Territory).

35-3. *Lipaster (Lyperocarabus) latreillei semicoriaceus* (Kraatz, 1881)
Deutsch. Ent. Zeitschr. 25:266.

Distribution: Korea (North), China (Manchuria).

Group Multistriati Reitter, 1896

Genus 13. *Leptocarabus* Géhin, 1885

Subgenus *Aulonocarabus*

36-1. *Leptocarabus (Aulonocarabus) canaliculatus careniger* (Chaudoir, 1863)
Ann. Soc. Ent. Franc. 31:448.

Distribution: Korea (Northeast), China (E. Manchuria), U.S.S.R. (Maritime Territory).

36-2. *Leptocarabus (Aulonocarabus) canaliculatus vojnitsi* (Mandl, 1980)
Fol. Ent. Hung. 41(33):138-139.

Distribution: Korea (North).

36-3. *Leptocarabus (Aulonocarabus) canaliculatus pappianus* (Mandl, 1980)
Fol. Ent. Hung. 41(33):138.

Distribution: Korea (North).

37. *Leptocarabus (Aulonocarabus) vogti* Beheim et Breuning, 1943
Mitt. Münchn. Ent. Ges. 33(1):5, pl. 1(5).

Distribution: Korea (Northeast).

38-1. *Leptocarabus (Aulonocarabus) pseudokoreanus pseudokoreanus* (Breuning, 1932)

Best.-Tab. eur. Col. 104:253.

Distribution: Korea (Northeast).

- 38-2. *Leptocarabus (Aulonocarabus) pseudokoreanus nangnimicus* (Blumenthal et Deuve, 1984)

Nouv. Rev. Entomol. 1(1):77-86.

Distribution: Korea (North).

39. *Leptocarabus (Aulonocarabus) kwanmobongensis* Kwon et Lee, 1984

Ins. Koreana 4:75-76.

Distribution: Korea (North).

Subgenus *Weolseocarabus*

- 40-1. *Leptocarabus (Weolseocarabus) koreanus coreanicus* (Breuning, 1950)

Ent. Arb. Mus. G. Frey, 1:198-199.

Distribution: Korea (North, Central, South).

- 40-2. *Leptocarabus (Weolseocarabus) koreanus koreanus* Reitter, 1895

Wien. Ent. Zeit. 14(4):110.

Distribution: Korea (Central).

- 40-3. *Leptocarabus (Weolseocarabus) koreanus minor* Kwon et Lee, 1984

Ins. Koreana 4:80.

Distribution: Korea (South).

- 40-4. *Leptocarabus (Weolseocarabus) koreanus rectokoreanus* Ishikawa et Kim, 1985

Nat. & Lif. 15(1):29-30.

Distribution: Korea (South).

Subgenus *Adelocarabus*

41. *Leptocarabus (Adelocarabus) semiopacus* (Reitter, 1895)

Wien. Ent. Zeit. 14(4):109-110.

Distribution: Korea (North, Central, South).

- 42-1. *Leptocarabus (Adelocarabus) seishinensis seishinensis* Lapouge, 1931

Gen. Ins. 192:97.

Distribution: Korea (North, Central, South).

- 42-2. *Leptocarabus (Adelocarabus) seishinensis seunglaki* Kwon et Lee, 1984

Ins. Koreana 4:85.

Distribution: Korea (South).

43. *Leptocarabus (Adelocarabus) vogtianus* (Beheim et Breuning, 1943)

Mitt. Münchn. Ent. ges. 33(1):5-6, pl. 2(8).

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Distribution: Korea (North).

44. *Leptocarabus* (*Adelocarabus*) *gossarei kulzeri* (Breuning, 1932)

Best.-Tab. eur. Col. 104:225-256.

Distribution: Korea (Northeast).

Genus 14. *Hemicarabus* Géhin, 1876

Subgenus *Hemicarabus*

45. *Hemicarabus* (s. str.) *tuberculosis* (Dejean et Boisduval, 1829)

Icon. Col. d'Eur. 1:359, pl. 50(4).

Carabus tuberculatus Fischer, 1827, Ent. Imp. Russ. 3:186, pl. 7C(1). nom. praeocc.

Carabus granosus Chaudoir, 1844, Bull. Soc. Imp. Nat. Mosc. 17:437.

Carabus Etholeni Mannerheim, 1849, Ibid. 22:226.

Distribution: Korea (North, Central, South, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Manchuria), U.S.S.R. (E. Siberia, Maritime Territory, Sachalin).

46. *Hemicarabus* (s. str.) *macleayi coreensis* (Breuning, 1933)

Best.-Tab. eur. Col. 107:857-858.

Distribution: Korea (North).

Subgenus *Homoeocarabus*

47. *Hemicarabus* (*Homoeocarabus*) *maeander quelpartensis* Kwon et Lee, 1984

Ins. Koreana 4:93-94.

Distribution: Korea (Chejudo).

Genus 15. *Scambocarabus* Reitter, 1896

- 48-1. *Scambocarabus kruberi kruberi* (Fischer, 1822)

Ent. Imp. Russ. 1:28, pl. 4(9).

Distribution: Korea (Northeast), China (Manchuria), Mongolia, U.S.S.R. (E. Siberia, Maritime Territory).

- 48-2. *Scambocarabus kruberi hallasanensis* Kwon et Lee, 1984 Ins.

Koreana 4:96-97.

Distribution: Korea (Chejudo).

Genus 16. *Tomocarabus* Reitter, 1896

- 49-1. *Tomocarabus fraterculus fraterculus* (Reitter, 1895)

Wien. Ent. Zeit. 14(4):107.

Distribution: Korea (North, Central), U.S.S.R. (Maritime Territory).

- 49-2. *Tomocarabus fraterculus affinis* Kwon et Lee, 1984

Ins. Koreana 4:100.

Distribution: Korea (Central).

49-3. *Tomocarabus fraterculus yeongsiki* Kwon et Lee, 1984

Ins. Koreana 4:100.

Eurycarabus (Tomocarabus) fraterculus jirisanensis Ishikawa et Kim, 1984, Nat. & Lif. 13(2): 73-74. (1983). syn. nov.

Distribution: Korea (South).

49-4. *Tomocarabus fraterculus assimilis* Kwon et Lee, 1984

Ins. Koreana 4:101.

Distribution: Korea (Central, South).

Genus 17. *Megodontus* Solier, 1848

Subgenus *Nabicarabus*

50. *Megodontus (Nabicarabus) vietinghoffi borealis* Kwon et Lee, 1984

Ins. Koreana 4:103-104.

Distribution: Korea (North).

Genus 18. *Damaster* Kollar, 1836

Subgenus *Acoptolabrus*

51. *Damaster (Acoptolabrus) schrencki* (Ménétries, 1860)

Schrenck's Reis. & Forsch. Am—Land. 2:99, pl. 6(29).

Distribution: Korea (North), China (Machuria), U.S.S.R. (Maritime Territory).

52. *Damaster (Acoptolabrus) seonhyeongae* Kwon et Lee, 1984

Ins. Koreana 4:108-109.

Distribution: Korea (North).

Subgenus *Koreacoptolabrus*

53-1. *Damaster (Koreacoptolabrus) constricticollis constricticollis* (Kraatz, 1886)

Deutsch. Ent. Zeitschr. 30(1):241-242, pl. 1(1,3).

Coptolabrus leechi Bates, 1888, Proc. Zool. Soc. Lond.:369.

Carabus (Coptolabrus) constricticollis grillatorius Hauser, 1921, Zool. Jahrb. 45, Abt. Syst.:147-148.

Distribution: Korea (North, Central), China (Manchuria), U.S.S.R. (Maritime Territory).

53-2. *Damaster (Koreacoptolabrus) constricticollis chiricola* Kwon et Lee, 1984

Ins. Koreana 4:112-113.

Distribution: Korea (South).

54. *Damaster (Koreacoptolabrus) mirabilissimus* Ishikawa et Deuve, 1982

Proc. Jap. Soc. Syst. Zool. 22:54-57.

Distribution: Korea (Central, South).

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

55. *Damaster* (*Koreacoptolabrus*) *changeonleei* Ishikawa et Kim, 1984

Nat. & Lif. 13(2):74-77. (1983). plac. nov.

Distribution: Korea (South).

Subgenus *Coptolabrus*

- 56-1. *Damaster* (*Coptolabrus*) *jankowskii jankowskii* (Oberthür, 1885)

Deutsch. Ent. Zeitschr. 29:309.

Distribution: Korea (North, Central, South), U.S.S.R. (Maritime Territory).

- 56-2. *Damaster* (*Coptolabrus*) *jankowskii kangwonensis* Kwon et Lee, 1984

Ins. Koreana 4:119.

Damaster (*Coptolabrus*) *jankowskii taebegsanensis* Ishikawa et Kim, 1984, Nat.

& Lif. 13(2):78. (1983). syn. nov.

Distribution: Korea (Central).

- 56-3. *Damaster* (*Coptolabrus*) *jankowskii kojensis* Kurosawa et Kudo, 1980

Bull. Nat. Sci. Mus. Ser. A(Zool.). 6(3):175-177.

Distribution: Korea (South).

- 56-4. *Damaster* (*Coptolabrus*) *jankowskii quelpartianus* (Hauser, 1932)

Mitt. Deutsch. Ent. Ges.:8.

Distribution: Korea (Chejudo).

- 56-5. *Damaster* (*Coptolabrus*) *jankowskii elegans* Kwon et Lee, 1984

Ins. Koreana 4:121.

Damaster (*Coptolabrus*) *jankowskii obtusipennis* Ishikawa et Kim, 1984, Nat. &

Lif. 13(2):78-79. (1983). syn. nov.

Distribution: Korea (South).

- 56-6. *Damaster* (*Coptolabrus*) *jankowskii fusanus* (Born, 1907)

Ent. Woch., Ins.-Boers. 24:52.

Distribution: Korea (South).

- 57-1. *Damaster* (*Coptolabrus*) *smaragdinus monilifer* (Tatum, 1847)

Ann. Mag. Nat. Hist. 20(130):15

Carabus (*Coptolabrus*) *smaragdinus tyrannus* Lapouge, 1911, Misc. Ent. 19(1):2-4.

Distribution: Korea (Chejudo).

- 57-2. *Damaster* (*Coptolabrus*) *smaragdinus fulminifer* (Roeschke, 1916)

Soc. Ent.:127.

Carabus (*Coptolabrus*) *smaragdinus coreicus* + *C.(C.)s. pinganensis* Hauser, 1921,

Zool. Jahrb. 45. Abt. Syst.:216-218, 220-221.

Coptolabrus planus Born, 1922, Ent. Mitt. 11(4):168-169.

Distribution: Korea (North, Central, South).

- 57-3. *Damaster (Coptolabrus) smaragdinus sangjaei* Kwon et Lee, 1984
 Ins. Koreana 4:126-127.
Damaster (Coptolabrus) smaragdinus euviridis Ishikawa et Kim, 1984, Nat. & Li.
 13(2):79. (1983). syn. nov.
 Distribution: Korea (South).
- 57-4. *Damaster (Coptolabrus) smaragdinus hongdoensis* Kwon et Lee, 1984
 Ins. Koreana 4:127.
 Distribution: Korea (Hongdo).
- 57-5. *Damaster (Coptolabrus) smaragdinus hoenggandoensis* Kwon et Lee, 1984
 Ins. Koreana 4:127.
 Distribution: Korea (Chujagundo).
- 57-6. *Damaster (Coptolabrus) smaragdinus branickii* (Taczanowski, 1888)
 Hor. Soc. Ent. Ross. 22:187, pl. 11(8).
Coptolabrus Oudoti Hauser, 1913, Deutsch. Ent. Zeitschr. 47:560-561.
 Distribution: Korea (Central, South).

Tribe Cychrini Lacordaire, 1854
 Genus 19. *Cychrus* Fabricius, 1794

58. *Cychrus coreicus* Breuning, 1950
 Ent. Arb. Mus. G. Frey. 1:201.
 Distribution: Korea (Northeast).

Subfamily NEBRIINAE Thomson, 1859

Tribe Nebriini Thomson, 1859
 Genus 20. *Leistus* Frölich, 1799
 Subgenus *Leistus*

- 59-1. *Leistus* (s. str.) *niger niger* Gebler, 1847
 Bull. Soc. Imp. Nat. Mosc. 20(2):307.
 Distribution: Korea (new record: Central, South), China (Manchuria), U.S.S.R. (E. Siberia).
- 59-2. *Leistus* (s. str.) *niger rotundicollis* Motschulsky
 Distribution: Korea (North).

Genus 21. *Nebria* Latreille, 1802
 Subgenus *Orientonebria*

- 60-1. *Nebria (Orientonebria) chinensis chinensis* Bates, 1872
 Ent. Monthl. Mag. 9:52.
 Distribution: Korea (North, Central, South), Japan (Honshu, Shikoku, Kyushu), China
 (Central, Eastern Part, Manchuria).

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

60-2. *Nebria (Orientonebria) chinensis tsushiamae* Habu, 1981

Nebria saeviens (nec Bates): Lee et Kwon, 1974 Nat. & Lif. 4:31.

^Distribution: Korea (Chejudo), Japan (Tsushima)

61. *Nebria (Orientonebria) coreica* Solsky, 1875

Hor. Soc. Ent. Ross. 11:254.

Distribution: Korea (North, Central, Chejudo), Japan (Honshu), China (Manchuria), U.S.S.R. (Maritime Territory).

62. *Nebria (Orientonebria) imitator simulator* Bänninger

Distribution: Korea (North).

Subgenus *Paranebria*

63. *Nebria (Paranebria) livida angulata* Bänninger, 1949

Distribution: Korea (North, Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), U.S.S.R. (E. Siberia), Mongolia.

Subgenus *Reductonebria*

64. *Nebria (Reductonebria) ochotica* Sahlberg, 1844

Car. Ochot.:15.

Distribution: Korea (North, Central, South), Japan (Hokkaido, Honshu), U.S.S.R. (E. Siberia, Maritime Territory, Kamtschatka, Kuriles, Sachalin).

Subgenus *Catonebria*

65-1. *Nebria (Catonebria) nitidula catenulata* Fischer-Waldheim, 1822

Entomogr. Ross. 1:74.

Distribution: Korea (North), China, U.S.S.R. (Maritime Territory).

65-2. *Nebria (Catonebria) nitidula nitidula* Fischer, 1801

Syst. Eleuth. 1:184.

Distribution: Korea (North), U.S.S.R. (Maritime Territory, Kamtschatka, Kuriles.)

65-3. *Nebria (Catonebria) nitidula pektusanica* Horvatovich, 1973

Ins. Sib.:126.

Distribution: Korea (North).

Subgenus *Eonebria*

66. *Nebria (Eonebria) komarovi* Semenov et Znoiko, 1928

Russk. Ent. Obozr. 22(3-4):214.

Distribution: Korea (North), U.S.S.R. (Maritime Territory).

Subgenus *Boreonebria*

67. *Nebria (Boreonebria) gyllenhali* Schoenherr, 1806
Syn. Ins. 1:196.
Distribution: Korea (North).
68. *Nebria (Boreonebria) kumgangi* Shilenkov, 1983
Fol. Ent. Hung. Rov. Közl. XLIV(2):310-313.
Distribution: Korea (North).
69. *Nebria (Boreonebria) pawlowskii* Shilenkov, 1983
Fol. Ent. Hung. Rov. Közl. XLIV(2):310.
Distribution: Korea (North).
70. *Nebria (Boreonebria) subdilata* Motschulsky, 1844
Ins. Sib.:126.
Distribution: Korea (North), Japan (Hokkaido), U.S.S.R. (E. Siberia, Kamtschatka, Kuriles, Sachalin).

Family V. SCARITIDAE Dejean, 1825

Subfamily SCARITINAE Dejean, 1825

Tribe Scaritini Dejean, 1825

Genus 22. *Scarites* Fabricius, 1775

Subgenus *Parallelomorphus*

71. *Scarites (Parallelomorphus) aterrimus* Morawitz, 1863
Mém. Acad. Imp. Sci. St. Pé. 7, 6(3):21-22, pl. 1(8).
Distribution: Korea (South, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu China Mainland, Manchuria).
72. *Scarites (Parallelomorphus) terricola pacificus* Bates, 1873
Trans. Ent. Soc. Lond.:238.
Scarites pacificus var. *coreanus* Kolbe, 1886, Arch. f. Nat. 52(1):171.
Distribution: Korea (North, Central, South, Chejudo), Japan (Honshu, Kyushu), China (Mainland, Manchuria, Taiwan).

Subgenus *Scarites*

73. *Scarites* (s. str.) *sulcatus* Olivier, 1795
Ent. 3(36):7, pl. 1(11).
Scarites semirugosus Chaudoir, 1855, Bull. Soc. Imp. Nat. Mosc. 28(1):90.
Distribution: Korea (North, Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu), China (Manchuria, Taiwan), Burma, India, Indonesia.

Subfamily CLIVININAE Thomson, 1859

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Genus 23. *Clivina* Latreille, 1802

74. *Clivina castanea* Westwood, 1837

Proc. Zool. Soc. Lond.:128.

Distribution: Korea (North), Japan (Honshu, Shikoku, Kyushu, Tsushima), China (Mainland, Taiwan), India, New Guinea, Philippines.

75. *Clivina niponensis* Bates, 1873

Trans. Ent. Soc. Lond.:239.

Distribution: Korea (North, South), Japan (Honshu, Shikoku, Kyushu), China.

76. *Clivina vulgivaga* Boheman, 1858

Eug. Res. Zool. Ins.:9.

Clivina humilis Morawitz, 1863, Mém. Acad. Imp. Sci. St. Pétr. 7,6(3):22.

Distribution: Korea (Chejudo), Japan (whole), China (Mainland, Taiwan), S.E.Asia.

Genus 24. *Dyschirius* Bonelli, 1811

Subgenus *Dyschiriodes*

77. *Dyschirius* (*Dyschiriodes*) *ovicollis* Putzeys, 1873

Ann. Soc. Ent. Belg. 16:14.

Dyschirius daimiellus Bates, 1873, Trans. Ent. Soc. Lond.:241-242.

Distribution: Korea (North, South), Japan (Honshu, Shikoku, Kyushu), China (E. Mainland, Manchuria).

78. *Dyschirius* (*Dyschiriodes*) *yezoensis* Bates, 1883

Trans. Ent. Soc. Lond.:232-233.

Distribution: Korea (North), Japan (Hokkaido, Honshu), China (East).

Subgenus *Dischirius*

79. *Dyschirius* (s. str.) *ordinatus* Bates, 1873

Trans. Ent. Soc. Lond.:240-241.

Distribution: Korea (North), Japan (Honshu, Kyushu), China (East).

Family VI. HARPALIDAE Dejean, 1825

Subfamily BROSCINAE Putzeys, 1868

Genus 25. *Craspedonotus* Schaum, 1863

80. *Craspedonotus tibilis* Shauman, 1863

Berl. Ent. Zeitschr. 7:87, pl.1(5).

Distribution: Korea (North, Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Fukien, Manchuria, Szechwan, Taiwan).

* Ku(1963) recorded *Brososoma doenitzi* (Harold, 1881) from Mr. Myöngjisan, C. Korea,

but it needs further confirmity in future, hitherto this pecies has been known endemic to Japan (Honshu, Shikoku, Kyushu).

Subfamily TRECHINAE Bach, 1815

Tribe Trechini Bach, 1851

Subtribe Trechina Bach, 1851

Genus 26. *Trechus* Claiville, 1806

Subgenus *Epaphius*

81. *Trechus (Epaphius) chinensis* Jeannel, 1920

Ann. Mag. Nat. Hist. 9,5:110.

Distribution: Korea (North), China.

82. *Trechus (Epaphius) ephippiatus* Bates, 1873

Trans. Ent. Soc. Lond.:295-296.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima), China (Mainland, Manchuria), U.S.S.R. (Maritime Territory).

Genus 27. *Kurasawatrechus* Yoshida et Nomura, 1952

83. *Kurasawatrechus glabratus* Uéno et Namkung, 1968

Bull. Nat. Sic. Mus. 11(3):247-250.

Distribution: Korea (Central).

84. *Kurasawatrechus latior* Uéno et Namkung, 1968

Bull. Nat. Sic. Mus. 11(3):251-253.

Distribution: Korea (Central).

85. *Kurasawatrechus longipes* Uéno et Namkung, 1968

Bull. Nat. Sci. Mus. 11(3):253-258.

Distribution: Korea (Central).

86. *Kurasawatrechus setiger* Uéno et Namkung, 1968

Bull. Nat. Sci. Mus. 11(3):258-261.

Distribution: Korea (Central).

Genus 28. *Ushijimaella* Uéno, 1980

87. *Ushijimaella pilosistriata* Uéno, 1980

Ann. Zool. Jap. 53(2):144-146.

Distribution: Korea (Central).

Genus 29. *Lasiotrechus* Ganglbauer, 1892

88. *Lasiotrechus discus* (Fabricius, 1792)

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Ent. Syst. em. auct. 1:295.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), U.S.S.R. (Siberia Sachalin), Europe.

Genus 30. *Trechoblemus* Ganglbauer, 1892

89. *Trechoblemus postilenatus* (Bates, 1873)

Trans. Ent. Soc. Lond.:295.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu).

Subtribe Perileptina Jeannel, 1922

Genus 31. *Perileptus* Schaum, 1860

Subgenus *Perileptus*

90. *Perileptus* (s. str.) *japonicus* Bates, 1873

Trans. Ent. Soc. Lond.:296.

Distribution: Korea (North), Japan (whole), China (Mainland, Taiwan).

Subfamily BEMBIDIINAE Lacordaire, 1854

Tribe Tachyini Andrewes, 1935

Genus 32. *Lymanastis* Motschulsky, 1862

91. *Lymanastis yanoi* Nakane, 1963

Fragm. Col. 6:23.

Distribution: Korea (North), Japan (Honshu, Kyushu).

Genus 33. *Paratachys*

92. *Paratachys gyotokuensis sohei* (Pawłowski, 1974)

Act. Zool. Crac. 19(9):167-170.

Distribution: Korea (North).

93. *Paratachys koreanorum* (Pawłowski, 1974)

Act. Zool. Crac. 19(9):170-171.

Distribution: Korea (North).

94. *Paratachys quadrillum* (Schaum, 1860)

Berg. Ent. Zeit. 4:201.

Distribution: Korea (North), Japan (Tanegashima), China (Mainland, Taiwan), India, New Guinea.

95. *Paratachys dzosonicus* (Pawłowski, 1974)

Act. Zool. Crac. 19(9):162-164.

Distribution: Korea (North).

96. *Paratachys fasciatus uenoi* (Tanaka, 1960)
 Kontyû 28(1):37.
 Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu), S.E.Asia.
97. *Paratachys pallescens* (Bates, 1873)
 Trans. Ent. Soc. Lond.:294.
 Distribution: Korea (North), Japan (Honshu, Kyushu), China (Manchuria).
98. *Paratachys varsavianorum* (Pawłowski, 1974)
 Act. Zool. Crac. 19(9):165-166.
 Distribution: Korea (North).

Genus 34. *Elaphropus* Motschulsky, 1839

99. *Elaphropus latissimus* (Motschulsky, 1851)
 Käf. Russ.:14.
Tachys bifoveatus MacLeay, 1871, Trans. Ent. Soc. N.S. Wal. 2:117
 Distribution: Korea (North), Japan (whole), China (Mainland), U.S.S.R. (Maritime Territory, Siberia), Vietnam, S.E.Asia.
100. *Elaphropus zouhari* (Jedlička, 1961)
 Act. Ent. Mus. Nat. Prag. 34:157.
 Distribution: Korea (North), China (North), U.S.S.R. (E. Siberia).

Genus 35. *Tachyura* Motschulsky, 1862

101. *Tachyura exarata* (Bates, 1873)
 Trans. Ent. Soc. Lond.:296-297.
 Distribution: Korea (North), Japan (Honshu, Shikoku, Kyushu).
102. *Tachyura fuscicauda* (Bates, 1873)
 Trans. Ent. Soc. Lond.:298-299.
 Distribution: Korea (North), Japan (whole), China (Manchuria).
103. *Tachyura gradatus* (Bates, 1873)
 Trans. Ent. Soc. Lond.:331.
Tachys coreanus Jedlička, 1932, Čas. Česk. Spol. Ent. 30:80.
Tachys chinensis Jedlička, 1932, Ibid. 30:81-82.
Tachys goetzi Jedlička, 1965b, Reichenbachia. 6:75.
 Distribution: Korea (North, Central, South), Japan (Honshu, Okinawa), China (Foochow, Kiangsi, Schautung, Shanghai, Szetschuan).
104. *Tachyura laetifica* (Bates, 1873)
 Trans. Ent. Soc. Lond.:298.
 Distribution: Korea (Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Mainland).

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Genus 36. *Tachyta* Kirby, 1837

105. *Tachyta nana* (Gyllenhal, 1810)

Ins. Suec. 1:30.

Distribution: Korea (North, Central), Japan (whole, Tsushina), China (Mainland, Manchuria), U.S.S.R. (Maritime Territory, Siberia), Europe.

Tribe Bembidiini

Genus 37. *Bembidion* Latreille, 1802

Subgenus *Notaphocampa*

106. *Bembidion* (*Notaphocampa*) *niloticum batesi* Putzeys, 1875

Ann. Soc. Ent. Belg. 8:52.

Distribution: Korea (new record: Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Manchuria, Yunnan, Taiwan), Philippines, Vietnam.

Subgenus *Notaphus*

107. *Bembidion* (*Notaphus*) *varium* (Olivier, 1795)

Ent. Hist. Nat. Ins. 3:110.

Distribution: Korea (North), Japan (Hokkaido), China (Hopeh, Manchuria, Tibet), Europe, N. Africa.

Subgenus *Peryphus*

108. *Bembidion* (*Peryphus*) *altestriatum* Netolitzky, 1934

Col. Rundsch. 20:68.

Distribution: Korea (North), China (Manchuria), U.S.S.R. (Maritime Territory).

109. *Bembidion* (*Peryphus*) *chloreum* Bates, 1873

Trans. Ent. Soc. Lond.:332.

Distribution: Korea (North, Central), Japan (Honshu, Kyushu), China (Central).

110. *Bembidion* (*Peryphus*) *fuscumaculatum* (Motschulsky, 1844)

Ins. Sibér.:243.

Distribution: Korea (North), China (Manchuria), U.S.S.R. (E. Siberia, Maritime-Territory).

111. *Bembidion* (*Peryphus*) *grapei planicollis* Ménétries, 1860

Reis. Forsch. Am.-Land 2:91, pl 6(9).

Distribution: Korea (North), U.S.S.R. (Maritime Territory).

112. *Bembidion* (*Peryphus*) *infuscatum* Dejean, 1831

Spec. gén. Col. 5:109.

Peryphus transbaikalicum Motschulsky, 1844, Ins. Sibér.:241.

Distribution: Korea (North), China (Manchuria), U.S.S.R. (E. Siberia, Maritime Territory).

113. *Bembidion (Peryphus) morawitzi* Csiki, 1928
Col. Cat. 97:104.
Bembidion cognatum Morawitz, 1862, Mém. Acad. Sci. St. Pé. 4:246. nom.
praeocc.
Bembidion consentaneum Gemminger et Harold, 1868, Cat. Col. 1:409. nom.
praeocc.
Distribution: Korea (North, Central, South), Japan (whole, Tsushima), China (Mainland, Manchuria), U.S.S.R. (Maritime Territory).
114. *Bembidion (Peryphus) obenbergeri* Lutschnik, 1923
Act. Ent. Mus. Nat. Prag.:73.
Distribution: Korea (North), China (Hopeh, Manchuria, Tokoto), U.S.S.R. (E. Siberia).
115. *Bembidion (Peryphus) scopulinum* (Kirby, 1837)
Faun. Bor. Amer.:327.
Peryphus thermarum Motschulsky, 1844, Ins. Siber.:255.
Distribution: Korea (North, Central, South, Ullungdo), Japan (Hokkaido, Honshu), China (Gansu, Manchuria, Szetschuan), U.S.S.R. (E. Siberia, Maritime Territory), Mongolia, N. America.
116. *Bembidion (Peryphus) semilunium muciei* Jedlicka, 1961
Act. Ent. Mus. Nat. Prag. 34:157.
Distribution: Korea (North, Central, South), U.S.S.R. (Maritime Territory), Mongolia.
117. *Bembidion (Peryphus) sigma* Lindroth, 1939
Not. Ent.:81.
Distribution: Korea (North), U.S.S.R. (Maritime Territory).

Subgenus *Limnaeoperypus*

118. *Bembidion (Limnaeoperypus) quadriimpressum* (Ménétrières, 1860)
Reis. Forsch. Am.-Land. 2:90-91, pl.6(8).
Distribution: Korea (Central), Japan (Hokkaido, Honshu), U.S.S.R. (Kamtschatka, Maritime Territory, Sachalin).

Subgenus *Trichoplataphus*

119. *Bembidion (Trichoplataphus) lissonotum* Bates, 1873
Trans. Ent. Soc. Lond.:302-303.
Distribution: Korea (North, South), Japan (Honshu, Shikoku, Kyushu), China (Mainland), U.S.S.R. (E. Siberia, Maritime Territory).
120. *Bembidion (Trichoplataphus) oxiglymma* Bates, 1883
Trans. Ant. Soc. Lond.:273.
Distribution: Korea (South), Japan (Honshu, Shikoku, Kyushu, Tsushima).

Subgenus *Blepharoplataphus*

121. *Bembidion* (*Blepharoplataphus*) *hiogoense* Bates, 1873

Trans. Ent. Soc. Lond.:302.

Distribution: Korea (North), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Tsushima).

Subgenus *Plataphus*

122. *Bembidion* (*Plataphus*) *altaicum* Gebler, 1833

Bembidion latum Motschulsky, 1844, Ins. Sibér.:245.

Bembidion sutschnense Jedlička, 1936, Act. Soc. Ent. Prah. 32:163.

Distribution: Korea (new record: Cetnral, South), U.S.S.R. (Altai, E. Siberia).

Subgenus *Hirmoplataphus*

123. *Bembidion* (*Hirmoplataphus*) *hirmocoelum* Chaudoir, 1850

Bull. Soc. Imp. Nat. Mosk. 23(3):190.

Bembidion parvicollis Sahlberg, 1880, Svensk. Acad. Handl. 17:16.

Bembidion punctatostriatum Motschulsky, 1844, Ins. Sibér.:238. nom. praeocc.

Distribution: Korea (North), U.S.S.R. (Maritime Territory, Siberia).

Subgenus *Plataphodes*

124. *Bembidion* (*Plataphodes*) *difficile* Motschulsky, 1844

Ins. Sibér.:248.

Distribution: Korea (North), U.S.S.R. (E. Siber).

Subgenus *Eurytrachelus*

125. *Bembidion* (*Eurytrachelus*) *pogonoides* Bates, 1883

Trans. Ent. Soc. Lond.:276.

Distribution: Korea (North), Japan (Hokkaido, Honshu), China (Mainland), U.S.S.R. (E. Siberia, Sachalin).

Subgenus *Cylindrobracteon*

126. *Bembidion* (*Cylindrobracteon*) *aeneipes* Bates, 1883

Trans. Ent. Soc. Lond.:276-277.

Distribution: Korea (Central), Japan (Hokkaido, Honshu), China (North).

Subgenus *Chrysobracteon*

127. *Bembidion* (*Chrysobracteon*) *baikaloussuricum* Netolitzky, 1942

Kol. Rundsch. 28(1-3):54.

Distribution: Korea (Central), Japan (Hokkaido), U.S.S.R. (E. Siberia, Sachalin).

128. *Bembidion* (*Chrysobracteum*) *stenoderum* Bates, 1873

Trans. Ent. Soc. Lond.:300-301.

Distribution: Korea (North, Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Fukien), U.S.S.R. (E. Siberia, Maritime Territory).

Subgenus *Princidium*

129. *Bembidion* (*Princidium*) *coreanum* Jedlicka, 1946

Descr. Car. nouv. l'Asie or.:1.

Distribution: Korea (North).

Genus 38. *Asaphidion* Gozis, 1886

130. *Asaphidion semilucidum* (Motschulsky, 1862)

Et. Ent. 11:24.

Asaphidion nubiferum Morawitz, 1862, Mém. Acad. Sci. St. Pé. 4:246.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Kansu, Manchuria, Sutschan), U.S.S.R. (E. Siberia, Maritime Territory, Sachalin).

Subfamily PATROBINAE Chaudoir, 1871

Genus 39. *Diplous* Motschulsky, 1850

131. *Diplous depressus* (Gebler, 1829)

Reis. Alt. Geb. 2:228.

Distribution (North), Japan (Hokkaido, Honshu, Shikoku), U.S.S.R. (Altai, Siberia).

Genus 40. *Patrobus* Stephens, 1827

Subgenus *Patrobus*

132. *Patrobus* (s. str.) *ambiguus* (Bates, 1883)

Trans. Ent. Soc. Lond.:289-290.

Distribution: Korea (Central), Japan (Honshu).

133. *Patrobus* (s. str.) *flavipes* Motschulsky, 1864

Bull. Soc. Imp. Nat. Mosc. 37(3):191.

Distribution: Korea (Central, South, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Mainland).

134. *Patrobus* (s. str.) *shoorengensis* Habu et Baba, 1962

Kontyû 30(3):143-145.

Distribution: Korea (Central), Japan (Honshu).

Subfamily PERIGONINAE Horn, 1881

Genus 41. *Perigona* Castelnau, 1835

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Subgenus *Trechicus*

135. *Perigona* (*Trechicus*) *nigriceps* (Dejean, 1831)

Spec. gén. Col. 5:44.

Pentoplogenus exiguus Morawitz, 1863, Mém. Acad. Imp. Sci. St. Pé. 7,6(3):
25-26, pl. 1(10).

Trechichus Japonicus Bates, 1873, Trans. Ent. Soc. Lond. 281-282.

Distribution: Korea (new record: Central), Japan (Honshu, Shikoku, Kyushu), China,
U.S.S.R. Europe, N&S. America.

Subgenus *Perigona*

136. *Perigona* (s. str.) *acupalpoides* Bates, 1883

Trans. Ent. Soc. Lond.:264.

Distribution: Korea (Chejudo), Japan (whole), China (Taiwan), Burma.

Subfamily PTEROSTICHINAE Sloane, 1920

Tribe Pterostichini Sloane, 1920

Subtribe Myadina Jakobson, 1907

Genus 42. *Trigonognatha* Motschulsky, 1857

137. *Trigonognatha coreana* (Tschitschérine, 1895)

Hor. Soc. Ent. Russ. 29:165-169.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu).

Subtribe Trigonotomina Lacordaire, 1854

Genus 43. *Trigonotoma* Dejean, 1828

38. *Trigonotoma lewisii* Bates, 1873

Trans. Ent. Soc. Lond.:284.

Distribution: Korea (new record: Central, South), Japan (South, Honshu, Shikoku,
Kyushu), China (Manchuria, Mainland, Taiwan), Indonesia.

Genus 44. *Lesticus* Dejean, 1828

Subgenus *Triplogenus*

39. *Lesticus* (*Triplogenus*) *magnus* Motschulsky, 1860

Et. Ent. 9:5-6.

Triplogenus ingens Morawitz, 1863, Mém. Acad. Sci. St. Pé. 6:54.

Distribution: Korea (whole), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Kan-
sa, Taiwan, Tschekiang).

Subtribe Pterostichina Sloane, 1920

Genus 45. *Pterostichus* Bonelli, 1809

Subgenus *Poecilus*

140. *Pterostichus (Poecilus) coerulescens encopoleus* (Solsky, 1873)
Hor. Soc. Ent. Ross. 9:306.
Distribution: Korea (North, Central, Chejudo), U.S.S.R. (E. Siberia, Maritime Territory).
141. *Pterostichus (Poecilus) fortipes* (Chaudoir, 1850)
Bull. Soc. Imp. Nat. Mosk. 23(3):131.
Poecilus prolixus Putzeys, 1875, Ann. Soc. Ent. Belg. 18:10
Distribution: Korea (North, Central, South, Chejudo), China (Yunna), U.S.S.R. (E. Siberia, Maritime Territory), Mongolia.
142. *Pterostichus (Poecilus) gebleri* (Dejean, 1828)
Spec. gén. Col. 3:220.
Poecilus gebleri v. *muralewitschi* Lutschnik, 1941. Eev. Rus. d'Ent. 14:423.
Distribution: Korea(?), China (Manchuria), Mongria.
143. *Pterostichus (Poecilus) lamproderus* Chaudoir, 1868
L'Abeille 5:232.
Distribution: Korea (?), China (Manchuria), U.S.S.R. (Maritime Territory), Mongolia.
144. *Pterostichus (Poecilus) nitidicollis* Motschulsky, 1844
Ins. Sibér.:160.
Distribution: (new record: Central), China (East), U.S.S.R. (E. Siberia, Maritime-Territory).
145. *Pterostichus (Poecilus) reflexicollis* Gebler, 1830
Nouv. Mém. Soc. Nat. Mosc. 2:35.
Distribution: Korea (?), China (Manchuria, Sutschan), U.S.S.R. (Maritime Territory, Transbaikalia).

Subgenus *Lagarus*

146. *Pterostichus (Lagarus) sulcitaris* Morawitz, 1863
Mém. Acad. St. Pétr. 6:3.
Distribution: Korea (Central, North), Japan (Hokkaido, Honshu, Kyushu), China (Manchuria), U.S.S.R. (Maritime Territory).

Subgenus *Badistrinus*

147. *Pterostichus (Badistrinus) aberrans* Motschulsky, 1865
Bull. Soc. Imp. Nat. Mosc. 38:258.
Orthomus subaeneus Motschulsky, 1860, Ét. Ent. 9:6.
Distribution: Korea (North), Japan (Hokkaido), U.S.S.R. (Maritime Territory Transbaikalia).
148. *Pterostichus (Badistrinus) goschi* Jedlička, 1930
Act. Soc. Ent. Prag. 27:21.
Distribution: Korea (North), China, U.S.S.R. (Maritime Territory).

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Subgenus *Rhagadus*

149. *Pterostichus* (*Rhagadus*) *microcephalus* (Motschulsky, 1860)

Ét. Ent. 9:6.

Pterostichus (*Lagarus*) *nimbatus* Morawitz, 1862, Mém. Biol. Acad. Sci. St. Pétr. 4:243.

Distribution: Korea (North, Central, South, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu).

Subgenus *Bothriopterus*

150. *Pterostichus* (*Bothriopterus*) *adstrictus* (Escholtz, 1823)

Mém. Ent. Soc. Mosc. 6:103.

Distribution: Korea (North), Japan (Hokkaido, Honshu), China (Manchria), U.S.S.R. (Maritime Territory).

151. *Pterostichus* (*Bothriopterus*) *subovatus* (Motschulsky, 1860)

Ét. Ent. 9:6.

Pterostichus *kirishimanus* Habu, 1954, Bull. Nat. Inst. Agr. Sci. Ser. C. 4:290-292.

Distribution: Korea (North), Japan (Hokkaido, Honshu, Kyushu), China (Manchuria), U.S.S.R. (Maritime Territory).

Subgenus *Platysma*

152. *Pterostichus* (*Platysma*) *fortis* Morawitz, 1862

Mém. Biol. Acad. Sci. Pétr. 4:210.

Distribution: Korea (North, Ullungdo), Japan (whole), China (Manchuria), U.S.S.R. (E. Siberia).

153. *Pterostichus* (*Platysma*) *sachtlebeni* Jedlicka, 1962

Ent. Abh. Ber. Mus. Tiesk. Dresd. 26(21):219.

Distribution: Korea (North).

Subgenus *Melanius*

154. *Pterostichus* (*Melanius*) *rotundangulus* Morawitz, 1862

Mém. Biol. Acad. Sci. St. Pétr. 4:209.

Distribution: Korea (North, Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu), U.S.S.R. (Maritime Territory).

Subgenus *Cryobius*

155. *Pterostichus* (*Cryobius*) *coreicus* Jedlicka, 1962

Ent. Abh. Ber. Mus. Tierk. Dresd. 26(21):242.

Distribution: Korea (North).

156. *Pterostichus (Cryobius) kurosai* Tanaka, 1958
Akitu. 7:59-60.

Distribution: Korea (North).

Subgenus *Steropus*

157. *Pterostichus (Steropus) coruscus* Tschitschérine, 1895
Hor. Soc. Ent. Ross. 29:175-178.

Distribution: Korea (North, Central, South).

158. *Pterostichus (Steropus) orientalis orientalis* Motschulsky, 1845
Ins. Siber.:151.

Pterostichus pravei Lutshnik, 1915, Rev. Russ. d'Ent. 14:427.

Distribution: Korea (North), U.S.S.R. (E. Siberia).

Subgenus *Eosteropus*

159. *Pterostichus (Eosteropus) creper* (Tschitschérine, 1902)
Hor. Soc. Ent. Ross. 35:499-500.

Distribution: Korea (North), Japan (Honshu).

160. *Pterostichus (Eosteropus) prolongatus* Morawitz, 1862
Mél. Biol. Acad. Sci. St. Pét. 4:209.

Omaeus japonicus Motschulsky, 1860, Et. Ent. 9:6. nom. praeocc.

Pterostichus tropidurus Bates, 1873, Trans. Ent. Soc. Lond.:288.

Distribution: Korea (North, Central), Japan (Hokkaido, Honshu Kyushu), China, U.S.S.R. (Maritime-Territory).

Subgenus *Lyperopherus*

161. *Pterostichus (Lyperopherus) rugosipennis* Jedlička, 1932
Ent. Nachr. 6:73.

Distribution: Korea (North).

Subgenus *Nialoe*

162. *Pterostichus (Nialoe) audax* (Tschitschérine, 1895)
Hor. Soc. Ent. Ross. 29:172-174.

Distribution: Korea (North, Central).

163. *Pterostichus (Nialoe) bellator* Tschitschérine, 1895
Hor. Soc. Ent. Ross. 29:169-171.

Distribution: Korea (North).

164. *Pterostichus (Nialoe) compar* (Tschitschérine, 1901)
Rev. Rus. d'Ent. 1(6):242.

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Distribution: Korea (North, Central).

165. *Pterostichus* (*Nialoe*) *klickai* Jedlička, 1931
Cas. Cesk. Spol. Ent. 28(5,6):104-105.

Distribution: Korea (North, Central).

166. *Pterostichus* (*Nialoe*) *ompoensis* Jedlička, 1932
Act. Soc. Eny. Prah. 29:46

Distribution: Korea (North).

* Yano (1941) erroneously recorded "*Feronia* (*Pterostichus*) *ixion* Tschitschérine" from Korea for the present species.

167. *Pterostichus* (*Nialoe*) *praedo* (Tschitschérine, 1901)
Rev. Rus. d'Ent. 1(6):244-245.

Distribution: Korea (North, Central).

168. *Pterostichus* (*Nialoe*) *raptor* (Tschitschérine, 1901)
Rev. Russ. d'Ent 1(6):239-241.

Distribution: Korea (North, Central, South).

169. *Pterostichus* (*Nialoe*) *scurra* (Tschitschérine, 1901)
Rev. Rus. d'Ent. 1(6):242-244.

Distribution: Korea (North, Central).

170. *Pterostichus* (*Nialoe*) *scurroides* Jedlička, 1959
Act. Ent. Mus. Prag. 32:240.

Distribution: Korea (North).

171. *Pterostichus* (*Nialoe*) *touzalini* Andrewes, 1923
Ann. Mag. Nat. Hist. 12:216.

Distribution: Korea (Chejudo).

Subgenus *Morphohaptoderus*

172. *Pterostichus* (*Morphohaptoderus*) *comorus* Jedlička, 1932
Ent. Nachr. 6:72-73.

Distribution: Korea (North).

Subgenus *Phaenoraphis*

173. *Pterostichus* (*Phaenoraphis*) *acuspinus* (Tschitschérine, 1901)
Rev. Russ. d'Ent. 1(6):248-250.

Distribution: Korea (North, Central).

Subgenus *Pterostichus*

174. *Pterostichus* (s. str.) *pertinax* Tschitschérine, 1895

Hor. Soc. Ent. Ross. 29:175.

Distribution: Korea (North).

Subgenus *Petrophilus*

175. *Pterostichus* (*Petrophilus*) *transbaikalicus* Motschulsky, 1845

Ins. Sibér.:165.

Distribution: Korea (North).

Subgenus *Metalophilus*

176. *Pterostichus* (*Metalophilus*) *interruptus* Dejean, 1828

Spec. gén. Col. 3:389.

Distribution: Korea (North), China (Manchuria), U.S.S.R. (Baikal, Maritime Territory).

* Straneo (1936) described *Pterostichus mülleri* (Ann. Mus. Civ. Gen. 59:152) based on the material from "Chui-Khuan-Shan," but the type-locality is indeed not in Korea, but in Liaoning, S. Manchuria of China, adjacent to the northwest area of Korean peninsula thus this species must be eliminated from the Korean fauna until the real discovery in this country, whereas the Chinese fauna must accept the above species naturally.

Tribe Platynini Bonelli, 1810

Subtribe Platina Bonelli, 1810

Genus 46. *Platynus* Bonelli, 1810

Subgenus *Platynus*

177. *Platynus* (s. str.) *assimilis* (Paykull, 1790)

Mon. Car. Sues.:53.

Carabus angusticollis Fabricius, 1801, Syst. El. 1:182

Anchomenus distinctus Chaudoir, 1843, Bull. Soc. Imp. Nat. Mosc. 16(4):762.

Anchomenus corsicus Tournier, 1860, Berg. Ent. Zeitschr. 4:317-318.

Distribution: Korea, Japan (Hokkaido), China, U.S.S.R. (Sachalin, Siberia), Europe.

Subgenus *Pseudoplatynus*

178. *Platynus* (*Pseudoplatynus*) *magnus* (Bates, 1873)

Trans. Ent. Soc. Lond.:278-279.

Distribution: Korea (North, Central, South, Chejudo), Japan (whole), China (Mainland, Taiwan), U.S.S.R. (Maritime Territory).

179. *Platynus* (*Pseudoplatynus*) *protensus* (Morawitz, 1863)

Mém. Acad. Imp. Sci. St. Pétr. (7), 6(3):42-43.

Distribution: Korea (North, South), Japan (whole), China (Mainland, Taiwan).

Subgenus *Agonum*

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

180. *Platynus (Agonum) chuii* Jedlicka, 1955
Act. Ent. Mus. Nat. Parg. 30:215.
Distribution: Korea, Japan (Hokkaido, Honshu), China (Manchuria).
181. *Platynus (Agonum) daimio* (Bates, 1873)
Trans. Ent. Soc. Lond.:279-280.
Distribution: Korea (North, South, Chejudo), Japan (whole), China (Mainland, Taiwan).
182. *Platynus (Agonum) dolens dolens* (Sahlberg, 1827)
Diss. Ins. Fenn. 1:256.
Distribution: Korea, Japan (Hokkaido), U.S.S.R. (Siberia), Europe.
183. *Platynus (Agonum) impressus* (Panzer, 1797)
Faun. Germ. 37:17.
Distribution: Korea, Japan (Hokkaido, Honshu), U.S.S.R. (Kuriles, Sakalin, Siberia), Europe.

Subgenus *Sericoda*

184. *Platynus (Sericoda) quadriimpressus* (DeGeer, 1774)
Mém. Ins. 4:102.
Carabus foveolatus Illiger, 1801, Mag. Ins. 1:61.
Agonum cupratum Sturm, 1824, Deutschl. Faun. Abb. 5(5):218-219.
Anchomenus ambiguus Mäklin, 1857, Stett. Ent. Zeit. 18:338-339.
Anchomenus (Agonum) nigrocericans Heller, 1923, Phil. Jour. Sci. 23:298-299.
Distribution: Korean (North, Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Taiwan, Tibet), U.S.S.R. (Siberia), Philippines, India, Europe.

Genus 47 *Colpodes* Macheay, 1825

Subgenus *Xestagonum*

185. *Colpodes (Xestagonum) xestus* (Bates, 1883)
Trans. Ent. Soc. Lond.:256.
Colpodes depressus Jedlicka, 1936, Act. Soc. Ent. Čsl. 33:48-50.
Colpodes edai Jedlicka, 1952, Act. Mus. Sil. 2(A):53.
Colpodes chuiianus Jedlicka, 1955, Act. Ent. Mus. Nat. Prag. 30:215.
Colpodes xestoides Nakane, in Kaniimura et al, 1962, Sic. Rep. Kyoto. Pref. Univ. (Nat. Sci. & Liv. Sci.) 3(4):A204.
Distribution: Korea (new record: Central, South), Japan (Honshu, Shikoku, Kyushu).

Subgenus *Metacolpodes*

186. *Colpodes (Metacolpodes) buchanani* (Hope, 1831)
Zool. Misc.:21.
Dyscolus splendens Morawitz, 1862, Mém. Biol. 4:241-242.
Colpodes pryeri Bates, 1883, Trans. Ent. Soc. Lond.:289.

Agonum (Anchomenus) sargentorum Malkin et Hatch, 1952, Pan. Pac. Ent. 23:107-108.

Distribution: Korea (Central, South, Chejudo, Ullŭngdo), Japan (whole), China (Mainland, Taiwan), U.S.S.R. (Maritime Territory), Burma, India, Nepal, Philippines.

Subgenus *Negreum*

187. *Colpodes (Negreum) ehikoense* (Habu, 1954)

Bull. Nat. Inst. Agr. Sic. (C), 4:331-333.

Agonum (Hikosanoagonum) raizanum Habu, 1954, Ibid.:330-331.

Distribution: Korea (South), Japan (Honshu, Shikoku, Kyushu).

Subgenus *Eucolpodes*

188. *Colpodes (Eucolpodes) japonicus* (Motschulsky, 1860)

Ét. Ent. 9:8.

Distribution: Korea (Central, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu, Ryukyus), China (Mainland, Taiwan).

Subgenus *Glaucagonum*

189. *Colpodes (Glaucagonum) sylphis stichai* Jedlička, 1935

Ac. Soc. Ent. Čsl. 32:33.

Colpodes jamagati Jedlička, 1955, Act. Ent. Mus. Nat. Prag. 30:316

Distribution: Korea (Central), Japan (Hokkaido, Honshu).

Subgenus *Oncostylus*

190. *Colpodes (Oncostylus) speculator* Harold, 1878

Deutsch. Ent. Zeitschr.:213-214.

Colpodes chloreis Bates, 1833, Tran. Ent. Soc. Lond.:262.

Colpodes (Hemiliagonum) chujoi Jedlička, 1962, Nipp. 1(14):5.

Distribution: Korea (South), Japan (Honshu, Shikoku, Kyushu).

Subgenus *Lissagonum*

191. *Colpodes (Lissagonum) lampros* Bates, 1873

Trans. Ent. Soc. Lond.:275-276.

Distribution: Korea (Central), Japan (whole).

Subgenus *Colpodes*

192. *Colpodes* (s. str.) *adonis* Tschitschérine, 1895

Hor. Soc. Ent. Ross. 29:184-187.

Distribution: Korea (North).

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Genus 48. *Dicranoncus* Chaudoir, 1850

193. *Dicranoncus femoralis* Chaudoir, 1850

Bull. Soc. Imp. Nat. Mosc. 23(2):393-394.

Laxocrepis coelestinus (sic) Motschulsky, 1864, Ibid. 37(4):310.

Dicranoncus pallidicornis Fairmaire, 1891, Ann. Soc. Ent. Belg. 35:188-189.

Distribution: Korea (Central, South, Ullŭngdo), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China(Mainland, Taiwan), U.S.S.R. (E. Siberia), Burma, Nepal, India.

Genus 49. *Euplynes* Schmidt-Goebel, 1846

194. *Euplynes batesi* Harold, 1877

Deutsch. Ent. Zeitschr. 21:341.

Distribution: Korea (new record: Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China.

Subtribe Sphodrina Laporte, 1834

Genus 50. *Pristosia* Motschulsky, 1864

195. *Pristosia proxima* (Morawitz, 1862)

Mél. Biol. 4:203.

Distribution: Korea (North, Central, Chejudo), China (Manchuria), U.S.S.R. (Maritime Territory).

196. *Pristosia vigil* (Tschitschérine, 1895)

Hor. Soc. Ent. Ross. 29:181-184.

Distribution: Korea (North).

Subtribe Dolichina Audouin et Brullé, 1834

Genus 51. *Dolichus* Bonelli, 1810

197. *Dolichus coreicus* Jedlička, 1936

Čas. Česk. Spol. Ent. 33:31.

Distribution: Korea (North).

198. *Dolichus halensis halensis* (Schaller, 1783)

Schrift. Nat. Ges. Hall. 1:317, pl. 1.

Carabus flavicornis Fabricius, 1787, Mant. Ins. 1:199.

Matulus nigripennis Gistel, 1857, Vacuna 2:16, 44.

Dolichus rufithorax Jedlička, 1963, Act. Soc. Ent. Čsl. 33:31.

Distribution: Korea (North, Central, South, Chejudo, Ullŭngdo), Japan (whole), China, U.S.S.R. (Kuriles, Siberia), Europe.

Genus 52. *Morphodactyla* Semenov, 1889

199. *Morphodactyla coreica* (Jedlička, 1937)

Čas. Česk. Spol. Ent. 34:79.

Distribution: Korea (North).

Genus 53. *Synuchus* Gyllenhal, 1810

Subgenus *Crepidactyla* :

200. *Synuchus (Crepidactyla) nitidus nitidus* (Motschulsky, 1861)

Et. Ent. 10:5-6.

Distribution: Korea (Central, South, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu), U.S.S.R. (Maritime Territory).

Subgenus *Synuchus*

201. *Synuchus* (s. str.) *agonus* (Tschitscherine, 1895)

Hor. Soc. Ent. Ross. 29:178-181.

Calathus (Pristodactyla) nipponica nipponica Habu, 1955, Bull. Nat. Inst. Agr. Sci. (C), 5:185-187.

Distribution: Korea (North, Central), Japan (Honshu, Shikoku, Kyushu), China (Manchuria); U.S.S.R. (E. Siberia, Kuriles).

202. *Synuchus* (s. str.) *atricolor* (Bates, 1883)

Trans. Ent. Soc. Lond.:288.

Distribution: Korea (North, Chejudo), Japan (Honshu).

203. *Synuchus* (s. str.) *chabo* (Habu, 1955)

Bull. Nat. Inst. Agr. Sci. (C), 5:190-192.

Synuchus picticornis Lindroth, 1956, Trans. Roy. Ent. Soc. Lond. 108:531.

Distribution: Korea (Central), Japan (Honshu).

204. *Synuchus* (s. str.) *congruus* (Morawitz, 1862)

Mél. Biol. 4:205.

Distribution: Korea (Central), Japan (Hokkaido, Honshu, Kyushu), China (Shansi, Shensi, Tibet), U.S.S.R. (E. Siberia).

205. *Synuchus* (s. str.) *crocatus* (Bates, 1883)

Trans. Ent. Soc. Lond.:228.

Crepidactyla shirahatai Habu, 1954, Bull. Nat. Inst. Agr. Sci. (C), 4:239-241.

Distribution: Korea (North, South, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu), U.S.S.R. (Kuriles).

206. *Synuchus* (s. str.) *cycloderus* (Bates, 1873)

Trans. Ent. Soc. Lond.:273.

Distribution: Korea (Central, South, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Foochow, Fukien).

207. *Synuchus* (s. str.) *dulcigradus* (Bates, 1873)

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Trans. Ent. Soc. Lond.:273-274.

Distribution: Korea (North), Japan (Honshu, Shikoku, Kyushu).

208. *Synuchus* (s. str.) *intermedius* Lindroth, 1956

Trans. R. Ent. Soc. Lond. 108(11):512-513.

Distribution: Korea (Central), China (Shensi, S. Manchuria), U.S.S.R. (Maritime Territory).

209. *Synuchus* (s. str.) *melantho* (Bates, 1883)

Trans. Ent. Soc. Lond.:254.

Calathus (*Crepidactyla*) *silbester* Habu, 1955, Bull. Nat. Inst. Agr. Sci. (C), 5:208-211.

Distribution: Korea (new record: Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Manchuria, North), U.S.S.R. (Kuriles).

210. *Synuchus* (s. str.) *orbicollis* (Morawitz, 1862)

Mél. Biol. 4:204.

Calathus cycloderus Heyden, 1886, Deutsch. Ent. Zeitschr. 30:207.

Calathus (*Pristodactyla*) *brittoni* Habu, 1955, Bull. Nat. Inst. Agr. Sci. (C), 5:188-190.

Distribution: Korea (North, Chejudo), Japan (Honshu, Kyushu), China (North), U.S.S.R. (E.Siberia).

Subfamily HARPALINAE Bonelli, 1810

Tribe Anisodactylini Lacordaire, 1854

Genus 54. *Anisodactylus* Dejean, 1829

Subgenus *Anisodactylus*

211. *Anisodactylus* (s. str.) *punctatipennis* Morawitz, 1862

Mél. Biol. 4:244-245.

Distribution: Korea (North, Central, South, Chejudo, Ullungdo), Japan (whole), China.

212. *Anisodactylus* (s. str.) *signatus* (Panzer, 1797)

Faun. Germ. 38:4.

Distribution: Korea (North, Central, South, Chejudo, Ullungdo), Japan (whole), China, Mongolia, U.S.S.R. (Sachalin, Siberia), Europe.

213. *Anisodactylus* (s. str.) *tricuspidatus* (Morawitz, 1863)

Mém. Acad. Imp. Sci. St. Pétr. (7): 6(3):66-67.

Distribution: Korea (North, Central, South, Chejudo), Japan (whole), China.

Tribe Harpalini Benelli, 1810

Genus 55. *Harpalus* Latreille, 1802

Subgenus *Cephalomorphus*

214. *Harpalus* (*Cephalomorphus*) *capito* Morawitz, 1862

Mél. Biol. 4:226-227.

Distribution: Korea (North, Central, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Mainland, Taiwan), U.S.S.R. (Siberia).

Subgenus *Pseudoophonus*

215. *Harpalus (Pseudoophonus) aenigma* (Tschitschérine, 1897)

L'Abeille 29:47.

Distribution: Korea (North).

216. *Harpalus (Pseudoophonus) babai* Habu, 1973

Faun. Jap. Car. Harp.:108-110.

Distribution: Korea (South, Chejudo), Japan (Honshu).

217. *Harpalus (Pseudoophonus) coreanus* (Tschitschérine, 1895)

Hor. Soc. Ent. Ross. 29:156-158.

Distribution: Korea (North).

218. *Harpalus (Pseudoophonus) davidi* Tschitscherine, 1897

L'Abeille 29:28-65.

Distribution: Korea (North).

219. *Harpalus (Pseudoophonus) eous* Tschitschérine, 1901

Hor. Soc. Ent. Ross. 35:236.

Distribution: Korea (North, Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (North), U.S.S.R. (E.Siberia).

220. *Harpalus (Pseudoophonus) griseus* (Panzer, 1797)

Faun. Germ. 38:1.

Carabus bicolor Marsham, 1802, Ent. Brit. 1:436.

Distribution: Korea (North, Central, South, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (North), Mongolia, Afghanistan, Europe, N. Africa.

221. *Harpalus (Pseudoophonus) horni* Jedlička, 1928

Wien. Ent. Zeit. 45:92-93.

Harpalus (Pardileus) Jedlička Schaubberger, 1929, Col. Centr. 3:184-185.

Distribution: Korea (Central), Japan (Honshu), China (Kansu, Manchuria).

222. *Harpalus (Pseudoophonus) jureceki* (Jedlička, 1928)

Ent. Mitt. 17:45-46.

Distribution: Korea (North, Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China, U.S.S.R. (E.Siberia, Sachalin).

223. *Harpalus (Pseudoophonus) niigatanus* Schaubberger, 1929

Col. Centr. 3:187-188.

Harpalus (Pardileus) tschiliensis Gebeni Schaubberger, 1930, Ibid. 4:178.

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Distribution: Korean (North, Central), Japan (whole).

224. *Harpalus* (*Pseudoophonus*) *roninus* Bates, 1873

Trans. Ent. Soc. Lond.:260-261.

Distribution: Korea (North, Central, Chejudo), Japan (Honshu, Kyushu, Tsushima), China (North, Taiwan).

225. *Harpalus* (*Pseudoophonus*) *simplicidens* Schaubberger, 1929

Col. Centr. 3:185-186.

Distribution: Korea, Japan (whole), China, Mongolia, U.S.S.R.(E.Siberia).

226. *Harpalus* (*Pseudoophonus*) *sinicus sinicus* Hope, 1845

Trans. Ent. Soc. Lond. 4:14.

Platus (*Harpalus*) *rugicollis* Motschulsky, 1860, Ět. Ent. 9:5.

Harpalus japonicus Morawitz, 1862, Měl. Biol. 4:245-246.

Distribution: Korea (North, Central, Chejudo), Japan (whole), China (Mainland, Taiwan), U.S.S.R.(E.Siberia).

227. *Harpalus* (*Pseudoophonus*) *tridens* Morawitz, 1862

Měl. Biol. 4:245.

Harpalus (*Pardileus*) *Pečirkai* Jedlička, 1928, Wien. Ent. Zeit. 45:93-94.

Distribution: Korea (North, Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China.

228. *Harpalus* (*Pseudoophonus*) *ussuriensis* Chaudoir, 1863

Bull. Soc. Imp. Nat. Mosc. 36(1):219.

Distribution: Korea (North, Central), China (North), U.S.S.R. (Maritime Territory).

229. *Harpalus* (*Pseudoophonus*) *vicarius* Harold, 1878

Deutsch. Ent. Zeitschr. 22:66.

Harpalus (*Pseudoophonus*) *sadoensis* Schaubberger, 1929, Col. Centr. 3:183.

Distribution: Korea (North, Chejudo), Japan (Hokkaido, Honshu, Shikoku, Kyushu).

Subgeus *Pardileus*

230. *Harpalus* (*Pardileus*) *calceatus* (Duftschmid, 1812)

Faun. Austr. 2:81.

Anisodactylus nonsignatus Krynický, 1832, Bull. Soc. Imp. Nat. Mosc. 5:72, pl.2.

Harpalus calcitrapus Motschulsky, 1846, Mém. Acad. Imp. Sci. Pt.-Pet. 5:216.

Ophonus (*Neopardileus*) *itoshimanus* Habu, 1954, Bull. Nat. Inst. Agr. Sci. (C), 4:281-283.

Distribution: Korea (North), Japan (whole), China (Mainland), U.S.S.R. (Maritime Territory, Siberia), India, Afghanistan, Europe.

Subgeus *Acardystus*

231. *Harpalus* (*Acardystus*) *platynotus* Bates, 1873

Trans. Ent. Soc. Lond.:262-263.

Distribution: Korean (Central), Japan (whole).

232. *Harpalus (Acardystus) rubefactus* Bates, 1873

Trans. Soc. Ent. Lond.:264-265.

Harpalus lobipes Tschitscherine, 1898, Ann. Soc. Ent. Franc. 67:183-184.

Distribution: Korea (North), Japan (Honshu), China (Mainland).

Subgenus *Harpalus*

233. *Harpalus* (s. str.) *bungii* Chaudoir, 1844

Bull. Soc. Nat. Mosc. 17(3):451.

Harpalus variipes Bates, 1883, Trans. Ent. Soc. Lond.:239-240.

Harpalus misellus Tschitscherine, 1897, L'Abeille 29:53-54.

Distribution: Korea (North, Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (North), Mongolia, U.S.S.R. (E. Siberia).

234. *Harpalus* (s. str.) *chalcentus* Bates, 1873

Trans. Ent. Soc. Lond.:263.

Distribution: Korea (North, Central, South, Chejudo, Ullŭngdo), Japan (Honshu, Shikoku, Kyushu), China.

235. *Harpalus* (s. str.) *corporosus* (Motschulsky, 1861)

Ét. Ent. 10:3.

Distribution: Korea (North, Central), Japan (Hokkaido, Honshu), China (North, Tibet), U.S.S.R. (E. Siberia).

236. *Harpalus* (s. str.) *crates* Bates, 1873

Trans. Ent. Soc. Lond.:239.

Harpalus chlorizans Bates, 1883, Ibid.:238-239.

Distribution: Korea (North, Central), Japan (Honshu), China.

237. *Harpalus* (s. str.) *latus ussuricus* Mlynar, 1979

Kol. Rundsch. 54:97-98.

Distribution: Korea (North, Central), Japan (Hokkaido), U.S.S.R. (Maritime Territory, Sachalin).

238. *Harpalus* (s. str.) *lokayi* Jedlička, 1929

Act. Soc. Ent. Cech.:104-105.

Harpalus (s. str.) *hokkaidensis* Habu et Baba, 1963, Akitu 11:23-25.

Distribution: Korea (North), Japan (Hokkaido), U.S.S.R. (E. Siberia, Maritime Territory).

239. *Harpalus* (s. str.) *obesus* Morawitz, 1862

Mél. Biol. 4:222.

Distribution: Korea (North).

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

240. *Harpalus* (s. str.) *pallidipennis* Morawitz, 1862
Mél. Biol. 4:221.
Harpalus thoracicus Motschulsky, 1846, Mém. Acad. Imp. Sci. St. Pé. 5:221-222.
nom. praeocc.
Selenophonus temperatus Kolbe, 1886, Arch. f. Nat. 52(1):176-177, pl. 11(22).
Distribution: Korea (North, Central), Japan (Honshu, Kyushu), China (Kansu, Kiangsi, Tibet), Mongolia, U.S.S.R. (E. Siberia).
241. *Harpalus* (s. str.) *tinctulus* Bates, 1873
Trans. Ent. Soc. Lond.:263-264.
Harpalus luteicornoides Breit, 1913, Ent. Blätt. 9:292-293.
Distribution: Korea (North, Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Manchuria).

Subgenus *Nipponoharpalus*

242. *Harpalus* (*Nipponoharpalus* ?) *crassus* Tschitschérine, 1895
Hor. Soc. Ent. Ross. 29:158-161.
Distribution: Korea (North ?).
243. *Harpalus* (*Nipponoharpalus*) *discrepans* Morawitz, 1862
Mél. Biol. 4:246.
Distribution: Korea (North, Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (North).

Genus 56. *Trichotichnus* Morawitz, 1863

Subgenus *Trichotichnus*

244. *Trichotichnus* (s. str.) *congruus* (Motschulsky, 1866)
Bull. Soc. Imp. Nat. Mosc. 39(1):164.
Trachycellus falsus Bates, 1876, Trans. Soc. Ent. Lond.:3.
Distribution: Korea (North), Japan (Hokkaido, Honshu, Shikoku, Kyushu), U.S.S.R. (Maritime Territory).
245. *Trichotichnus* (s. str.) *coruscus* (Tschitschérine, 1895)
Hor. Soc. Ent. Ross. 29:161-164.
Distribution: Korea (North), China (Manchuria), U.S.S.R. (Maritime Territory).
246. *Trichotichnus* (s. str.) *leptopus* (Bates, 1883)
Trans. Ent. Soc. Lond.:237-238.
Distribution: Korea (North), Japan (Honshu).
247. *Trichotichnus* (s. str.) *lucidus* (Morawitz, 1863)
Mém. Acad. Imp. Sci. St. Pé. 7, 6(3):72-73.
Distribution: Korea (Central), Japan (whole), U.S.S.R. (Maritime Territory).

248. *Trichotichnus* (s. str.) *vicinus* (Tschitschérine, 1897)
L'Abeille 29:25-70.

Distribution: Korea (North).

Genus 57. *Tetraplatypus* Poppius, 1907

249. *Tetraplatypus laevicollis* Poppius, 1907

Distribution: Korea (North)

Tribe Stenolophini Hope, 1838

Genus 58. *Dicheirotichus* Jacquelin du Val, 1857

250. *Dicheirotichus coreanus* (Mlynár, 1974)

Act. Zool. Crac. 19(6):109-111.

Distribution: Korea (North).

Genus 59. *Bradycellus* Erichson, 1837

Subgenus *Desbordesius*

251. *Bradycellus* (*Desbordesius*) *laeticolor* Bates, 1873

Trans. Ent. Soc. Lond.:267.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Taiwan).

Subgenus *Bradycelloides*

252. *Bradycellus* (*Bradycelloides*) *fimbriatus* Bates, 1873

Trans. Ent. Soc. Lond.:267-268.

Distribution: Korea (South), Japan (Honshu, Shikoku, Kyushu), China (Fukien).

Subgenus *Tachycellus*

253. *Bradycellus* (*Tachycellus*) *grandiceps* (Bates, 1873)

Trans. Ent. Soc. Lond.:266-267.

Bradycellus (s. str.) *Koltzei* Reitter, 1900, Verh. Nat. Ver. Brünn. 38:133.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Tibet).

254. *Bradycellus* (*Tachycellus*) *grandiceps* (Bates, 1873)

Trans. Ent. Soc. Lond.:266-267.

Bradycellus (s. str.) *Koltze* Reitter, 1900, Verh. Nat. Ver. Brünn. 38:133.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Tibet).

Genus 60. *Acupalpus* Latreille, 1829

Subgenus *Palcuapus*

255. *Acupalpus* (*Palcuapus*) *inornatus* Bates, 1873

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Trans. Ent. Soc. Lond.:268-269.

Distribution: Korea (North, Central, Chejudo), Japan (whole), China.

Genus 61. *Stenolophus* Stephens, 1827

Subgenus *Stenolophus*

256. *Stenolophus* (s. str.) *agonoides* Bates, 1883

Trans. Ent. Soc. Lond.:241.

Stenolophus korgei Jedlička, 1964, Ann. Zool. Bot. 3:3-4.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu).

257. *Stenolophus* (s. str.) *connotatus* Bates, 1873

Trans. Ent. Soc. Lond.:327.

Distribution: Korea (North, Central), Japan (Hokkaido, Honshu, Shikoku), China, U.S.S.R. (Maritime Territory).

258. *Stenolophus* (s. str.) *iridicolor* Redtenbacher, 1868

Reis. Nov. Zool 2(1), A:16.

Stenolophus castaneipennis Bates, 1873, Trans. Ent. Soc. Lond.:269.

Acupalpus (*Stenolophus*) *castaneipennis* ab. *atripennis* Schaubberger, 1930, Kol. Rundsch. 15:208-209.

Distribution: Korea (North, Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China, U.S.S.R. (Maritime Territory).

259. *Stenolophus* (s. str.) *propinquus* Morawitz, 1862

Mél. Biol. 4:222-223.

Stenolophus japanus Motschulsky, 1864, Bull. Soc. Imp. Nat. Mosc. 37(2):203.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu), U.S.S.R. (E. Siberia, Sachalin).

Subgenus *Astenolophus*

260. *Stenolophus* (*Astenolophus*) *proximus* Dejean, 1829

Spec. Gén. Col. 4:420.

Distribution: Korea (North, Central, South, Chejudo), U.S.S.R. (E. Siberia).

Subgenus *Egadroma*

261. *Stenolophus* (*Egadroma*) *difficilis* (Hope, 1845)

Trans. Ent. Soc. Lond. 4:15.

Stenolophus chaldeus Bates, 1873, Ibid. 4:270.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Mainland, Taiwan).

262. *Stenolophus* (*Egadroma*) *meyeri* Jedlička, 1935

Act. Soc. Ent. Čsl. 32:113.

Distribution: Korea (North).

Genus 62. *Anoplogenus* Chaudoir, 1852

263. *Anoplogenus cyanescens* (Hope, 1845)

Trans. Ent. Soc. Lond. 4:15.

Megrammus circumcinctus Motschulsky, 1857, Et. Ent. 6:27.

Distribution: Korea (North, Central, South), Japan (whole), China (Yunnan), U.S.S.R. (Maritime Territory).

264. *Anoplogenus impubis* Kolbe, 1886

Arch. f. Nat. 52(1):177.

Distribution: Korea (Central).

Subfamily ZABRINAE Horn, 1881

Genus 63. *Curtonotus* Stephens, 1828

265. *Curtonotus coreanus* (Baliani, 1938)

Boll. Soc. Ent. Ital. 70:186.

Distribution: Korea (North).

266. *Curtonotus giganteus* (Motschulsky, 1844)

Ins. Sib.:173, pl.8(1).

Amara (*Cyrtonotus*) *herculeana* Tschitschérine, 1895, Hor. Soc. Ent. Ross. 28:381-383.

Distribution: Korea (North, Central), Japan (Honshu, Shikoku, Kyushu), China (Manchuria), Mongolia, U.S.S.R. (E. Siberia).

267. *Curtonotus gonioderus* (Tschitschérine, 1895)

Hor. Soc. Ent. Ross. 29:164-165.

Distribution: Korea (North).

268. *Curtonotus hiogoensis* Bates, 1873

Trans. Ent. Soc. Lond.:291.

Distribution: Korea (new record: Ullŭngdo), Japan (Honshu, Shikoku, Kyushu), China.

269. *Curtonotus macronotus macronotus* Solsky, 1875

Hor. Soc. Ent. Ross. 6:265.

Curtonotus ritens Putzeys, 1866, Mém. Soc. Roy. Sci. Lieg. 2(1):234.

Distribution: Korea (North, Central, South, Chejudo), China (Kansu, Kiangsi), U.S.S.R. (E. Siberia, Maritime Territory).

270. *Curtonotus seishini* (Jedlicka, 1957)

Act. Mus. Sil. Op. 6A:25.

Distribution: Korea (North), China (Manchuria).

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Genus 64. *Bradytus* Stephens, 1828

Subgenus *Pseudobradytus*

271. *Bradytus (Pseudobradytus) brevipennis* Chaudoir, 1844

Bull. Sci. Imp. Nat. Mosc. 17(3):446.

Distribution: Korea (North), U.S.S.R. (E. Siberia).

272. *Bradytus (Pseudobradytus) simplicidens* (Morawitz, 1863)

Mém. Acad. Imp. Sci. St. Pétr. 7, 6(3):60-62.

Acrodon Uralensis Motschulsky, 1860, Ét. Ent. 9:6.

Distribution: Korea (North, Central, South), Japan (Hokkaido, Honshu, Shikoku, Kyushu).

273. *Bradytus (Pseudobradytus ?) aurichalceus* (Germar, 1824)

Ins. Spec. nov.:10.

Distribution: Korea (North), China, U.S.S.R. (Siberia).

Subgenus *Bradytus*

274. *Bradytus* (s. str.) *ampliatius* Bates, 1873

Distribution: Korea (Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu), U.S.S.R. (Sachalin).

Genus 65. *Amara* Bonelli, 1811

Subgenus *Amara*

275. *Amara* (s. str.) *chalcites* Dejean, 1828

Spec. Gén. Col. 3:462.

Distribution: Korea (North, Central, South, Chejudo, Ullungdo), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Manchuria), U.S.S.R. (Maritime Territory).

276. *Amara* (s. str.) *congrua* Morawitz, 1862

Mél. Biol. Acad. Sci. St. Pétr. 4:244.

Amara mongolia Motschulsky, 1844,

Amara Zimmermanni Putzeys, 1875, Ann. Soc. Ent. Belg. 18:7.

Amara striatella Putzeys, 1875, Ibid. 18:8.

Amara mandzhurica Lutshnik, 1935, Fol. Zool. Hydr. 7:257.

Distribution: Korea (Central, South), Japan (whole), China (Manchuria, Southeast, Taiwan), Mongolia, U.S.S.R. (Maritime Territory), (E. Siberia).

277. *Amara* (s. str.) *coraica* Kolbe, 1886

Arch. f. Nat. 52(1):173.

Amara (s. str.) *depressangula* Poppius, 1907. Öfvers. Finsk. vet. Soc. Förh. 49:14.

Amara (s. str.) *bodeana* Jedlička, 1953, Ann. Hist. Nat. Mus. at. Hung. 3:111.

Distribution: Korea (North, Central), China (North), Mongolia, U.S.S.R. (E. Siberia).

278. *Amara* (s. str.) *nitida imitatrix* Lutshnik, 1935

Fol. Zool. Hydr. 7:257.

Amara orienticola Lutshnik, 1935, Ibid. 7:258.

Amara consimilis Baliani, 1938, Bull. Soc. Ent. Ital. 70:187.

Distribution: Korea (North), China (Manchuria), U.S.S.R. (E. Siberia, Maritime Territory).

279. *Amara* (s. str.) *silvestrii* Baliani, 1936

Boll. Soc. Ent. Ital. 68:

Distribution: Korea (Central ?), Japan (Honshu, Kyushu), China (Manchuria, Southeast), U.S.S.R. (Maritime Territory), Burma.

280. *Amara* (s. str.) *ussuriensis* Lutshnik, 1935

Fol. Zool. Hydr. 7:257.

Amara sutschanensis Jedlička, 1957, Act. Ent. Mus. Nat. Prag. 31:100.

Amara mandli Jedlička, 1957, Ibid. 31:97.

Distribution: Korea (North), Japan (Hokkaido), China (Manchuria), U.S.S.R. (Maritime Territory).

Subgenus *Amathitis*

281. *Amara* (*Amathitis*) *cordata* Putzeys, 1866

Mém. Soc. Lieg. (2)1:228.

Distribution: Korea (North), China, U.S.S.R. (E. Siberia).

Subgenus *Celia*

282. *Amara* (*Celia*) *chalcophaea* Bates, 1873

Trans. Ent. Soc. Lond.:292-293.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu).

283. *Amara* (*Celia*) *erratica* (Duftschmid, 1812)

Faun. Austr. 2:120.

Distribution: Korea (North), Japan (Hokkaido, Honshu), U.S.S.R. (Siberia), Europe.

Subfamily CALLISTINAE Chaudoir, 1872

Tribe Callistini

Genus 66. *Haplochlaenius* Uéno

284. *Haplochlaenius costiger* (Chaudoir, 1856)

Bull. Soc. Imp. Nat. Mosc. 29(3):258.

Distribution: Korea (North, Central, South, Chejudo, Ullungdo), Japan (Honshu, Shikoku, Kyushu, Tsushima), China (Mainland, Taiwan), S.E. Asia.

Genus 67. *Epomis* Bonelli, 1809

285. *Epomis nigricans* (Wiedemann, 1821)

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Germ. Mag. Ent. 4:110.

Chlaenius rugicollis Laferte, 1851, Ann. Soc. Ent. Franc. 9(2):253.

Chlaenius culminatus Bates, Trans. Ent. Soc. Lond.:251.

Distribution: Korea (Central, South, Chejudo), Japan (whole), China (Mainland, Taiwan), India, S.E.Asia.

Genus 68. *Chlaenius* Bonelli, 1809

Subgenus *Chlaenites*

286. *Chlaenius (Chlaenites) spoliatus motschulskyi* Andrewes, 1920

Ent. Monthl. Mag. 9:236.

Distribution: Korea (Central, South), Japan (Honshu), China (Manchuria), U.S.S.R. (Maritime Territory, Siberia).

Subgenus *Chlaeniostenus*

287. *Chlaenius (Chlaeniostenus) circumdatus* Brullé, 1835

Rev. Ent. 3:283.

Chlaenius javanus Chaudoir, 1856, Bull. Soc. Imp. Nat. Mosc. 29(3):229.

Chlaenius xanthopleurus Chaudoir, 1856, Ibid. 29(3):230.

Chlaenius cupeicollis Nietner, 1856, Journ. Asiat. Soc. Beng. 25:387.

Chlaenius micanus Motschulsky, 1864, Bull. Soc. Imp. Nat. Mosc. 37(4):346.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Taiwan), S.E.Asia, Burma, India.

Subgenus *Chinelaus*

288. *Chlaenius (Chinelaus) pallipes* Gebler, 1823

Mém. Soc. Nat. Mosc. 6:128.

Chlaenius corplentus Motschulsky, 1860, Ent. 9:7.

Distribution: Korea (North, Central, South, Chejudo), Japan (whole), China (Manchuria, North), Mongolia, U.S.S.R. (E. Siberia).

Subgenus *Ilaenchus*

289. *Chlaenius (Ilaenchus) bimaculatus lynx* Chaudoir, 1856

Bull. Soc. Imp. Nat. Mosc. 29(3):198.

Distribution: Korea (North), Japan (Ryukyus), China (Mainland, Taiwan), Indo-China, Philippines.

290. *Chlaenisu (Ilaenchus) bioculatus* Chaudoir, 1856

Bull. Soc. Imp. Nat. Mosc. 29(3):229.

Distribution: Korea (new record: South), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (South, Taiwan), S.E.Asia

291. *Chlaenius (Ilaenchus) naeviger* Morawitz, 1862

Bull. Acad. Sci. St. Pét. 5:324.

Distribution: Korea (North, Central, South, Chejudo), Japan (whole), China (Mainland, Taiwan).

292. *Chlaenius (Ilaenchus) posticalis* Motschulsky, 1853

Ét. Ent. 2:44.

Chaenius hospes Morawitz, 1862, Bull. Acad. Sci. St. Pét. 5:245.

Distribution: Korea (Central, South), Japan (whole), China (Manchuria, North), U.S.S.R. (Maritime Territory).

Sebgenus *Agrochlaenius*

293. *Chlaenius (Agrochlaenius) circumductus* Morawitz, 1862

Bull. Acad. Sci. St. Pét. 5:246.

Distribution: Korea (North, South, Chejudo), Japan (whole), China (Mainland, Manchuria, Taiwan), U.S.S.R. (E.Siberia, Maritime Territory), Indo-China.

Subgenus *Chlaeniellus*

294. *Chlaenius (Chlaeniellus) inops* Chaudoir, 1856

Bull. Soc. Imp. Nat. Mosc. 29(3):230.

Chlaenius arcuaticollis Motschulsky, 1860, Ent. 9:7.

Distribution: Korea (North, Central, South, Chejudo, Ullungdo), Japan (whole), China (Mainland, Taiwan), U.S.S.R. (Maritime Territory), S.E.Asia.

295. *Chlaenius (Chlaeniellus) ocreatus* Bates, 1873

Trans. Ent. Soc. Lond.:252-253.

Distribution: Korea (North, Central, South), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Manchuria).

296. *Chlaenius (Chlaeniellus) variicornis* Morawitz, 1863

Mém. Acad. Imp. Sci. St. Pét. 7, 6(3):35-36, pl.1(17).

Distribution: Korea (Central, South), Japan (whole), China (North).

Subgenus *Pachydinodes*

297. *Chlaenius (Pachydinodes) abstersus* Bates, 1873

Trans. Ent. Soc. Lond.:247.

Distribution: Korea (South), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Taiwan).

298. *Chlaenius (Pachydinodes) pictus* Chaudoir, 1856

Bull. Soc. Imp. Nat. Mosc. 29(3):208.

Distribution: Korea (North, Central, South, Chejudo), Japan (Honshu, Kyushu), China (Hongkong, Kangu, Manchuria), Burma, India (North).

299. *Chlaenius (Pachydinodes) virgulifer* Chaudoir, 1876

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Ann. Mus. Cir. Gén. 8:61.

Distribution: Korea (Central, South), Japan (whole), China (Mainland, Taiwan).

Subgenus *Spilochlaenius*

300. *Chlaenius (Spilochlaenius) micans* (Fabricius, 1792)

Syst. Ent. 1(1):151.

Chlaenius subhamatus Chaudoir, 1856, Bull. Soc. Imp. Nat. Mosc. 29(3):211.

Distribution: Korea (Central, South), Japan (whole), China (Mainland).

Subgenus *Callistoides*

301. *Chlaenius (Callistoides) guttula* Chaudoir, 1856

Bull. Soc. Imp. Nat. Mosc. 29(3):216-217.

Chlaenius cuspidatus Heller, 1923, Phil. Journ. Sci. 23:301-302.

Chlaenius (Callistoides) Csikii Jedlička, 1951, Ann. Mus. Nat. Hung. 1:136-137.

Chlaenius (Callistoides) Csikii ab. *astrolabensis* Jedlička, 1951, Ibid. 1:136.

Chlaenius guttula var. *immaculata* Louwerens. 1962, Tijdschr. Ent. 105:145.

Distribution: Korea (Central), Japan (Ryukyus), China (South, Taiwan), Philippines, Indonesia.

302. *Chlaenius gensenensis* Jedlička, 1935

Act. Soc. Ent. Csl. 32:214.

Distribution: Korea (North).

303. *Chlaenius touzalini* Andrewes, 1920

Ent. Monthl. Mag. 9:236.

Chlaenius Klickai Jedlička, 1931, Čas. Česk. Spol. Ent. 28(5-6):134.

Distribution: Korea (Chejudo), China (Szetschuan, Yunnan).

Genus 69 *Hemichlaenus* Uéno.

304. *Hemichlaenus noguchii noguchii* Bates, 1873

Trans. Ent. Soc. Lond.:251-252.

Distribution: Korea (Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu).

Genus 70. *Callistomimus* Chaudoir, 1872

305. *Callistomimus okutanii* Habu, 1952

Mushi 24(8):35-37.

Distribution: Korea (Central), China (North).

Subfamily LICININAE Bach, 1851

Tribe Licinini Bach, 1851

Genus 71. *Diplocheila* Brullé, 1834

Subgenus *Submera* Habu, 1958

306. *Diplocheila (Submera) latifrons* (Dejean et Boisduval, 1830)
 Icon. Col. d'Eur. Col. 2:204, pl.97(4).
Rembus opacus Chaudoir, 1852, Bull. Soc. Imp. Nat. Mosc. 25(1):67.
 Distribution: Korea (Central), Japan (Honshu), China (Mainland), Thailand, Burma, Vietnam, India.
307. *Diplocheila (Submera) zeelandica* (Redtenbacher, 1868)
 Reis. Öst. Freg. Nov. Zool. 2:10, pl.1(5).
Rembus gigas Bates, 1873, Trans. Ent. Soc. Lond.:256
 Distribution: Korea (Central, South, Chejudo, Ullungdo), Japan (whole), China (Mainland, Taiwan).

Subfamily OODINAE La Ferte-Senectere, 1851

Genus 72. *Lachnocrepis* Leconte, 1853
 Subgenus *Lachnocrepis* Leconte, 1853

308. *Lachnocrepis* (s. str.) *japonica* Bates, 1873
 Trans. Ent. Soc. Lond.:255.
Lachnocrepis picecola Fairmaire, 1887, Ann. Soc. Ent. Belg. 31:93.
 Distribution: Korea (North, South), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Mainland), U.S.S.R. (Maritime Territory).

Subfamily PANAGAEINAE Lacordaire, 1854

Genus 73. *Panagaeus* Latreille, 1804

309. *Panagaeus davidi* Fairmaire, 1887
 Rev. d'Ent. 6:313.
 Distribution: Korea (Central), China (Hopeh).
310. *Panagaeus japonicus* Chaudoir, 1861
 Bull. Soc. Imp. Nat. Mosc. 34(4):356.
Panagaeus rubripes Morawitz, 1862, Mém. Biol. Acad. Sci. St. Pé. 4:240.
 Distribution: Korea (North, Central, Ullungdo), Japan (whole), China (Mainland, Manchuria), U.S.S.R. (E. Siberia, Maritime Territory).
311. *Panagaeus robustus* Morawitz, 1862
 Mém. Biol. Acad. Sci. St. Pé. 4:240.
 Distribution: Korea (Central, South), Japan (Hokkaido, Honshu, Kyushu), U.S.S.R. (Maritime Territory).

Genus 74. *Tinoderus* Chaudoir, 1878

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

312. *Tinoderus singularis* (Bates, 1873)

Trans. Ent. Soc. Lond.:245.

Distribution: Korea (new record: Ullŭngdo), Japan (Honshu, Shikoku, Kyushu), China (Hopeh).

Genus 75. *Dischissus* Bates, 1873

313. *Dischissus mirandus* Bates, 1873

Trans. Ent. Soc. Lond.:244.

Distribution: Korea (new record: Chejudo), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Taiwan).

Subfamily ODACANTHINAE Castelnau, 1835

Tribe Odacanthini Castelnau, 1835

Genus 76. *Odacantha* Paykull, 1798

Subgenus *Odacantha*

314. *Odacantha* (s. str.) *puziloi* Solsky, 1875

Hor. Soc. Ent. Ross. 21:264-265, pl.1(5).

Distribution: Korea (new record: Central), Japan (Hokkaido, Honshu), China (Manchuria, North), U.S.S.R. (E. Siberia, Maritime Territory).

Subfamily LEBIINAE Bonelli, 1810

Tribe Pentagonicipini Bates, 1873

Genus 77. *Pentagonica*

315. *Pentagonica daimiella* Bates, 1892

Ann. Mus. Civ. Stor. Nat. Gén. 2, 12(32):426.

Distribution: Korea (new record: Central, South), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Fukien, Kuatun, Taiwan), U.S.S.R. (E.Siberia).

Tribe Cymindini Laporte, 1835

Genus 78. *Cymindis* Latreille, 1806

Subgenus *Tarulus*

316. *Cymindis* (*Tarulus*) *vaporariorum immaculatus* Dejean at Boisduval, 1829

Icon. Col. Eur. 1:93, pl.10(4).

Cymindis subarcticus Kano, 1933, Bull. Biol. Soc. Jap. 4:96, 106.

Cymindis (*Tarulus*) *subarcticus asahiensis* Habu et Baba, 1962, Akitu 10:13-14.

Distribution: Korea (new record: Central, South), Japan (Hokkaido, Honshu), U.S.S.R. (E. Siberia, Kamchatka, Kuriles, Sachalin).

Subgenus *Pseudocymindis*

317. *Cymindis (Pseudocymindis) collaris* Motschulsky, 1845

Mém. Acad. Imp. Sci. St. Pétr. 5:48-49, pl.2(8).

Cymindis (s. str.) *yokoyamai* Nakane, 1963, Fram. Col. 6:24.

Distribution: Korea (Central, South), Japan (Hokkaido, Honshu), Mongolia, U.S.S.R. (E.Siberia).

Subgenus *Menas*

318. *Cymindis (Menas) daimio* Bates, 1873

Trans. Ent. Soc. Lond.:310-311.

Cymindis Tschitscherini Semenow, 1895, Hor. Soc. Ent. Ross. 29:126-128.

Cymindis daimio var. *nigrifemoris* Habu, 1941, Ent. World 9:654-655.

Cymindis (Menas) nigrifemoris Habu et Inouye, 1963, Kontyû 31:68-70.

Distribution: Korea (Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu), China (Mar-churia), U.S.S.R. (E.Siberia, Maritime Territory), Mongolia.

Tribe Pericalini Lacordaire, 1854

Genus 79. *Coptodera* Dejean, 1825

Subgenus *Coptoderina*

319. *Coptodera (Coptoderina) eluta* Andrewes, 1923

Trans. Ent. Soc. Lond.:30

Distribution: Korea (new record: South), Japan (Honshu, Ryukyu), China (Taiwan), S.E.Asia, Burma, India, New Guinea.

Genus 80. *Dolichoctis* Schmidt-Goebel, 1846

Subgenus *Mochtherus*

320. *Dolichoctis (Mochtherus) luctuosus* (Putzeys, 1875)

Ann. Soc. Ent. Belg. 18, Compt. Rend.:52-53.

Distribution: Korea (Chejudo), Japan (Honshu, Shikoku, Kyushu).

Tribe Anomotarini Habu, 1967

Genus 81. *Anomotarus* Chaudoir, 1875

321. *Anomotarus stigmula* (Chaudoir, 1852)

Bull. Soc. Imp. Nat. Mosc. 25(1):57-59.

Cymindis geophila Montrouzier, 1860, Ann. Soc. Ent. Franc. 3, 8:235.

Cymindis pictula Bates, 1873, Trans. Ent. Soc. Lond.:310.

Distribution: Korea (South), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Taiwan), India, Indonesia.

Tribe Calleidini Bates, 1873

Genus 82. *Calleida* Latreille et Dejean, 1823

Subgenus *Callidiola*

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

322. *Calleida* (*Callidiola*) *lepada* Redtenbacher, 1868

Reis. Nov. Zool. 2:6, pl.1(2).

Callida (*Callidiola*) *chujoi* Habu, 1960, Bull. Nat. Inst. Agr. Sci. C, 12:165-166.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu), China (Mainland, Taiwan).

323. *Calleida* (*Callidiola*) *onoha* Bates, 1873

Trans. Ent. Soc. Lond.:317-318.

Callida japonica Jedlička, 1960, Ann. Hist. Nat. Mus. Nat. Hung. 52:231.

Distribution: Korea (Central, South, Ullŭngdo), Japan (whole), China (Fukien, Taiwan).

Genus 83. *Lebidia* Morawitz, 1862

324. *Lebidia bioculata* Morawitz, 1863

Mém. Acad. Sci. St. Pét. 6:29.

Lebidia bioculata ab. *occlusa* Jureček, 1934, Act. Soc. Ent. Čsl. 31:45.

Lebidia bioculata *Batesi* Kano, 1929, Trans. Nat. Hist. Soc. Form. 19:522-524.

Distribution: Korea (Central, South), Japan (whole), China (Mainland, Taiwan), U.S.S.R. (Maritime Territory), Indonesia, India, Burma.

325. *Lebidia octoguttata* Morawitz, 1862

Mél. Biol. 4:239-240.

Distribution: Korea (Central, South, Chejudo, Ullŭngdo), Japan (whole), China (Fukien, Taiwan), U.S.S.R. (E.Siberia, Kuriles, Maritime Territory).

Genus 84. *Parena* Motschulsky, 1859

Subgenus *Parena*

326. *Parena* (s. str.) *cavipennis* (Bates, 1873)

Trans. Ent. Soc. Lond.:316-317.

Distribution: Korea (Central, South, Ullŭngdo), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Mainland, Taiwan).

327. *Parena* (s. str.) *laesipennis* (Bates, 1873)

Trans. Ent. Soc. Lond.:317.

Distribution: Korea (Central, South), Japan (whole).

328. *Parena* (s. str.) *latecincta* (Bates, 1873)

Trans. Ent. Soc. Lond.:315-316.

Crossoglossa viridilineata Jedlička, 1939, Neu. Car. Öst. 12:7.

Distribution: Korea (Central, South), Japan (Honshu, Shikoku, Kyushu, Ryukyus), China (Mainland, Taiwan), Indochina.

329. *Parena* (s. str.) *monostigma* (Bates, 1873)

Trans. Ent. Soc. Lond.:316.

Parena japonica Jedlička, 1946, Descr. Car. Nouv. As. Or.:10.

Distribution: Koera (new record: Central, South), Japan (whole).

330. *Parena* (s. str.) *nigrolineata nipponensis* Habu, 1964

Akitu, 11:33-34.

Distribution: Korea (Central, Chejudo), Japan (Honshu, Shikoku, Kyushu, Ryukyus).
China (Mainland, Taiwan).

331. *Parena* (s. str.) *tripunctata* (Bates, 1873)

Trans. Ent. Soc. Lond.:314.

Distribution: Korea (new record: Central, South), Japan (whole), U.S.S.R. (Kuriles).

Tribe *Lebiini* Bonelli, 1810
Genus 85. *Lebia* Latreille, 1802
Subgenus *Lebia*

332. *Lebia* (s. str.) *cruxminor* (Linnaeus, 1758)

Syst. Nat. ed. 10(1):416.

Carabus errata Rossi, 1790, Faun. Etr. 1:91, pl.6(M).

Carabus Andreae Rossi, 1790, Ibid. 1:221.

Lebia nigripes Dejean, 1825, Spéc. Gén. Col. 1:262-263.

Distribution: Korea (North, Central, South), Japan (whole), China (Mainland,) Mongolia,
U.S.S.R. (Kuriles, Maritime Territory, Siberia), Europe, Asia Minor.

Subgenus *Poecilothais*

333. *Lebia* (*Poecilothais*) *bifenestrata* Morawitz, 1862

Mél. Biol. 4:200.

Lebia bifenestrata var. *lucescens* Bates, 1873, Trans. Ent. Soc. Lond.:319.

Lebia (s. str.) *pucholti* Jedlička, 1963, Ent. Abh. 28:329, pl.2(11).

Lebia (*Poecilothais*) *bifenestrata* f. *ogurai* Habu, Faun. Jap. Car. Trunc.:186-188,
pl.19(4).

Distribution: Korea (Central, Chejudo), Japan (whole), U.S.S.R. (E. Siberia, Kuriles,
Maritime Territory).

334. *Lebia* (*Poecilothais*) *idae* Bates, 1873

Trans. Ent. Soc. Lond.:318-319.

Lebia idae ab. *picea* Jedlička, 1935, Act. Soc. Ent. Čsl. 32:153.

Distribution: Korea (new record: Chejudo), Japan (Honshu, Shikoku, Kyushu), China
(Taiwan).

335. *Lebia* (*Poecilothais*) *iolanthe* Bates, 1883

Trns. Ent. Soc. Lond.:287.

Distribution: Korea (new record: Central, South), Japan (Honshu), China (Mainland,
Taiwan).

336. *Lebia* (*Poecilothais*) *retrofasciata* Motschulsky, 1864

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Bull. Soc. Imp. Nat. Mosc. 37(3):227.

Lebia japonica Chaudoir, 1871, Ibid. 43(3,4):225, pl.1(48).

Lebia eugenes Jedlička, 1935, Act. Soc. Ent. Čsl. 32:153.

Lebia Kavani Jedlička, 1951, Ibid. 48:116.

Distribution: Korea (new record: Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu), U.S.S.R. (Maritime Territory).

Genus 86. *Lachnolebia* Maindron, 1905

337. *Lachnolebia cribricollis* (Morawitz, 1862)

Mél. Biol. 4:199.

Distribution: Korea (North, Central, South), Japan (whole), China (Manchuria, Yunnan), U.S.S.R. (E.Siberia, Maritime Territory).

Tribe Demetriini Bates, 1886

Genus 87. *Demetrias* Bonelli, 1810

Subgenus *Demetrias*

338. *Demetrias* (s. str.) *marginicollis* Bates, 1883

Tans. Ent. Soc. Lond.:285.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu).

Tribe Dromiini Bonelli, 1810

Genus 88. *Dromius* Bonelli, 1810

Subgenus *Dromius*

339. *Dromius* (s. str.) *quadraticollis* Morawitz, 1862

Mél. Biol. 4:199.

Dromius breviceps Bates, 1883, Trans. Ent. Soc. Lond.:283.

Dromius longulus Frivaldsky, 1884, Term. Füz. 8:279.

Dromius cordicollis Vorbringer, 1898, Ent. Nachr. 24:286-287.

Distribution: Korea (new record: South), Japan (Hokkaido, Honshu, Kyushu), U.S.S.R. (Kuriles, Maritime Territory, Siberia), Europe.

Subgenus *Lebidromius*

340. *Dromius* (*Lebidromius*) *prolixus* Bates, 1883

Trans. Ent. Soc. Lond.:282-283.

Distribution: Korea (Central), Japan (Hokkaido, Honshu, Shikoku, Kyushu), U.S.S.R. (Kuriles).

Subfamily DRYPTINAE Schaum, 1857

Genus 89. *Drypta* Latreille, 1976

341. *Drypta ussuriensis* Jedlička, 1963

Ent. Abh. Ber. Mus. Tierk. Dresd. 28(7):483-484.

Distribution: Korea (North, Central), Japan (Hokkaido, Honshu), China (Manchuria), U.S.S.R. (Maritime Territory).

342. *Drypta japonica* Bates, 1873

Trans. Ent. Soc. Lond.:303-304.

Distribution: Korea (Central), Japan (Honshu, Shikoku, Kyushu).

Subfamily ZUPHIINAE Bedel, 1895

Genus 90. *Planetes* McLeay, 1825

Subgenus *Planetes*

343. *Planetes* (s. str.) *puncticeps* Andrewes, 1919

Ann. Mag. Nat. Hist. 3:480.

Planetes bimaculatus var. *cordicollis* Kolbe, 1886, Arch. f. Nat. 52(1):172 nom. praeocc.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu, Tsushima), China (Mainland, Taiwan).

Genus 91. *Galerita* Fabricius, 1801

Subgenus *Galerita* Fabricius, 1801

344. *Galerita* (s. str.) *orientalis* Schmidt-Goebel, 1846

Faun. Col. Birm.:26.

Galerita japonica Bates, 1873, Trans. Ent. Soc. Lond.:304.

Galerita japonica var. *coreana* Kolbe, 1886, Arch. Nat. 52:171-172.

Distribution: Korea (Central, South, Chejudo), Japan (Honshu, Shikoku, Kyushu), China (Fukien, Taiwan), Indochina, Burma, Indonesia, India.

Family VII BRACHINIDAE Stephens, 1827

Genus 92. *Pheropsophus* Solier, 1883

Subgenus *Stenaptinus*

345. *Pheropsophus* (*Stenaptinus*) *javanus* (Dejean, 1825)

Spec. gen. Col. 1:305.

Pheropsophus agnatus Chaudoir, 1876, Ann. Soc. Ent. Belg. 19:18, 42.

Pheropsophus kuntzeni Dupuis, 1914, Ibid. 58:29.

Distribution: Korea (South, Chejudo), Japan (Ryukyus), China (Mainland, Taiwan), U.S.S.R. (Maritime Territory), Burma, Vietnam, Indonesia, Thailand, Philippines, New Guinea.

346. *Pheropsophus* (*Stenaptinus*) *jessoensis* Morawitz, 1862

Mél. Biol. Acad. St. Pet. 4:238.

Distribution: Korea (North, Central, South, Chejudo), Japan (whole), China (Mainland, Manchuria).

Y.J. KWON, S.M. LEE: Check List of Superfamily Caraboidea from Korea

Genus 93. *Brachinus* Weber, 1801

Subgenus *Brachynolomus*

347. *Brachinus (Brachynolomus) magyari* (Jedlička, 1960)

Ann. Mus. Hung. 52:230.

Distribution: Korea (North).

348. *Brachinus (Brachynolomus) scotomedes* Redtenbacher, 1867

Reis. Nov. Col. 2:5.

Distribution: Korea (Central, South), Japan (whole), China (Mainland, Taiwan).

Subgenus *Brachinidius*

349. *Brachinus (Brachinidius) aeneicostis* Bates, 1883

Trans. Ent. Soc. Lond.:279-280.

Distribution: Korea (North, Central), Japan (Honshu, Kyushu), U.S.S.R. (Maritime Territory).

350. *Brachinus (Brachinidius) incomptus* Bates, 1873

Trans. Ent. Soc. Lond.:306.

Distribution: Korea (Central, South), Japan (Honshu).

351. *Brachinus (Brachinidius) stenoderus* Bates, 1873

Trans. Ent. Soc. Lond.:305-306.

Brachinus macrocerus Chaudoir, 1876, Ann. Soc. Ent. Belg. 19:51, 67.

Distribution: Korea (North, Central, South), Japan (whole), U.S.S.R. (Maritime Territory, E.Siberia).

352. *Brachinus (Brachinidius) virdinitens* Jedlička, 1939

Neu. Car. Öst. 12:7.

Distribution: Korea (North), Japan (Honshu).